

Aktuelle Publikationen von Mitarbeitern oder unter Beteiligung von Mitarbeitern der Klinik und Poliklinik für Psychiatrie und Psychotherapie im Jahr 2016

Articles, Editorial Material, Letters, News Items, Notes und Reviews

Allert N, **Gippert SM**, Sajonz BE, Nelles C, **Bewernick B**, **Schlaepfer TE**, Coenen VA. Arachnophobia alleviated by subthalamic nucleus stimulation for Parkinson's disease. *J Neural Transm (Vienna)*. 2016;123(6): 631-5

Angermann CE, Gelbrich G, Störk S, Gunold H, Edelmann F, Wachter R, Schunkert H, Graf T, Kindermann I, Haass M, Blankenberg S, Pankuweit S, Prettin C, Gottwik M, Böhm M, Faller H, Deckert J, Ertl G; **MOOD-HF Study Investigators and Committee Members**. Effect of Escitalopram on All-Cause Mortality and Hospitalization in Patients With Heart Failure and Depression: The MOOD-HF Randomized Clinical Trial. *JAMA*. 2016;315(24): 2683-93

Bey K, **Lennertz L**, Markett S, Petrovsky N, Gallinat J, Gründer G, Spreckelmeyer KN, Wienker TF, Mobascher A, Dahmen N, Thuerauf N, Kornhuber J, Kiefer F, Toliat MR, Nürnberg P, Winterer G, **Wagner M**. Replication of the association between CHRNA4 rs1044396 and harm avoidance in a large population-based sample. *Eur Neuropsychopharmacol*. 2016;26(1): 150-5

Bey K, **Wolfsgruber S**, **Karaca I**, **Wagner H**, Lardenoije R, **Becker J**, Milz E, Kornhuber J, Peters O, Frölich L, Hüll M, Rütger E, Wiltfang J, Riedel-Heller S, Scherer M, **Jessen F**, **Maier W**, van den Hove DL, Rutten BP, **Wagner M**, **Ramirez A**. No association of the variant rs11887120 in DNMT3A with cognitive decline in individuals with mild cognitive impairment. *Epigenomics*. 2016;8(5): 593-8

Bischof GN, Jessen F, **Fliessbach K**, Dronse J, Hammes J, Neumaier B, Onur O, Fink GR, Kukulja J, Drzezga A, van Eimeren T; Alzheimer's Disease Neuroimaging Initiative. Impact of tau and amyloid burden on glucose metabolism in Alzheimer's disease. *Ann Clin Transl Neurol*. 2016;3(12): 934-9

Bock JO, Brettschneider C, Weyerer S, Werle J, **Wagner M**, **Maier W**, Scherer M, Kaduszkiewicz H, Wiese B, Moor L, Stein J, Riedel-Heller SG, König HH. Excess health care costs of late-life depression - Results of the AgeMooDe study. *J Affect Disord*. 2016;199: 139-47

Degenhardt F, Heinemann B, Strohmaier J, Pfohl MA, Giegling I, Hofmann A, Ludwig KU, Witt SH, Ludwig M, Forstner AJ, Albus M, Schwab SG, Borrmann-Hassenbach M, **Lennertz L**, **Wagner M**, Hoffmann P, Rujescu D, **Maier W**, Cichon S, Rietschel M, Nöthen MM. Identification of rare variants in KCTD13 at the schizophrenia risk locus 16p11.2. *Psychiatr Genet*. 2016;26(6): 293-6

Eckstein M, **Scheele D**, **Patin A**, **Preckel K**, **Becker B**, **Walter A**, Domschke K, Grinevich V, **Maier W**, **Hurlemann R**. Oxytocin facilitates Pavlovian fear learning in males. *Neuropsychopharmacology*. 2016;41(4): 932-9

Gaebel W, Buchkremer G, Häfner H, Klosterkötter J, **Maier W**, Möller HJ, Wölwer W. Konzept und Ergebnisse des Kompetenznetzes Schizophrenie. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2016;59(4): 412-9

Gaebel W, Riesbeck M, Wölwer W, Klimke A, Eickhoff M, von Wilmsdorff M, de Millas W, **Maier W**, Ruhrmann S, Falkai P, Sauer H, Schmitt A, Riedel M, Klingberg S, Möller HJ. Predictors for symptom re-exacerbation after targeted stepwise drug discontinuation in first-episode schizophrenia: Results of the first-episode study within the German research network on schizophrenia. *Schizophr Res*. 2016;170(1): 168-76

Gao S, Becker B, Luo L, Geng Y, Zhao W, Yin Y, Hu J, Gao Z, Gong Q, **Hurlemann R**, Yao D, Kendrick KM. Oxytocin, the peptide that bonds the sexes also divides them. *Proc Natl Acad Sci U S A*. 2016;113(27): 7650-4

Gomm W, von Holt K, Thomé F, Broich K, **Maier W**, Fink A, Doblhammer G, Haenisch B. Association of Proton Pump Inhibitors With Risk of Dementia: A Pharmacoepidemiological Claims Data Analysis. *JAMA Neurol*. 2016;73(4): 410-6

Hajek A, Brettschneider C, Ernst A, Posselt T, Wiese B, Prokein J, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Riedel-Heller SG, Bickel H, Mösch E, **Heser K**, Jessen F, **Maier W**, Scherer M, König HH. Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. *Soc Psychiatry Psychiatr Epidemiol*. 2016;51(4): 607-16

Hajek A, Brettschneider C, Lange C, Posselt T, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, **Wolfsgruber S**, **Heser K**, **Maier W**, Scherer M, Riedel-Heller SG, König HH. Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. *Qual Life Res*. 2016;25(5): 1159-68

Hajek A, Brettschneider C, Lühmann D, Eisele M, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Riedel-Heller SG, Luck T, Bickel H, Weeg D, **Koppara A**, **Wagner M**, Scherer M, **Maier W**, König HH; **Study on Ageing, Cognition and Dementia in Primary Care Patients Group**. Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. *J Am Geriatr Soc*. 2016;64(11): 2311-6

Hajek A, Brettschneider C, Posselt T, Lange C, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, **Heser K**, **Jessen F**, **Maier W**, Scherer M, Riedel-Heller SG, König HH. Predictors of Frailty in Old Age - Results of a Longitudinal Study. *J Nutr Health Aging*. 2016;20(9): 952-7

Hentze C, Walter H, Schramm E, **Drost S**, **Schoepf D**, Fangmeier T, Mattern M, Normann C, Zobel I, Schnell K. Functional correlates of childhood maltreatment and symptom severity during affective theory of mind tasks in chronic depression. *Psychiatry Res*. 2016;250: 1-11

Heser K, Bleckwenn M, Wiese B, Mamone S, Riedel-Heller SG, Stein J, Lühmann D, Posselt T, Fuchs A, Pentzek M, Weyerer S, Werle J, Weeg D, Bickel H, Brettschneider C, König HH, **Maier W**, Scherer M, **Wagner M**; AgeCoDe Study Group. Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. *J Alzheimers Dis*. 2016;54(1): 185-99

Hodgson K, Tansey KE, Powell TR, Coppola G, Uher R, Zvezdana Dernovšek M, Mors O, Hauser J, Souery D, **Maier W**, Henigsberg N, Rietschel M, Placentino A, Aitchison KJ, Craig IW, Farmer AE, Breen G, McGuffin P, Dobson R. Transcriptomics and the mechanisms of antidepressant efficacy. *Eur Neuropsychopharmacol*. 2016;26(1): 105-12

Hoell A, Weyerer S, **Maier W**, **Wagner M**, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, König HH, Bock JO, Stein J, Riedel-Heller SG. The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. *J Affect Disord*. 2016;204: 247-54

Hu Y, **Scheele D**, **Becker B**, Voos G, David B, **Hurlemann R**, Weber B. The Effect of Oxytocin on Third-Party Altruistic Decisions in Unfair Situations: An fMRI Study. *Sci Rep*. 2016;6: 20236

Hurlemann R, Maier W, Scheele D. Interactions of noradrenaline and cortisol and the induction of indelible memories.
Behav Brain Sci. 2016;39: e213

Hurlemann R, Marsh N. Neue Einblicke in die Psychobiologie altruistischer Entscheidungen.
Nervenarzt. 2016;87(11): 1131-5

Hurlemann R, Scheele D. Dissecting the Role of Oxytocin in the Formation and Loss of Social Relationships.
Biol Psychiatry. 2016;79(3): 185-93

Jacobi F, Höfler M, Strehle J, Mack S, Gerschler A, Scholl L, Busch MA, Maske U, Hapke U, Gaebel W, **Maier W, Wagner M,** Zielasek J, Wittchen HU. Erratum zu: Psychische Störungen in der Allgemeinbevölkerung. Studie zur Gesundheit Erwachsener in Deutschland und ihr Zusatzmodul "Psychische Gesundheit" (DEGS1-MH).
Nervenarzt. 2016;87(1): 88-90

Jun G, Ibrahim-Verbaas CA, Vronskaya M, Lambert JC, Chung J, Naj AC, Kunkle BW, Wang LS, Bis JC, Bellenguez C, Harold D, Lunetta KL, Destefano AL, Grenier-Boley B, Sims R, Beecham GW, Smith AV, Chouraki V, Hamilton-Nelson KL, Ikram MA, Fievet N, Denning N, Martin ER, Schmidt H, Kamatani Y, Dunstan ML, Valladares O, Laza AR, Zelenika D, **Ramirez A,** Foroud TM, Choi SH, Boland A, Becker T, Kukull WA, van der Lee SJ, Pasquier F, Cruchaga C, Beekly D, Fitzpatrick AL, Hanon O, Gill M, Barber R, Gudnason V, Campion D, Love S, Bennett DA, Amin N, Berr C, Tsolaki M, Buxbaum JD, Lopez OL, Deramecourt V, Fox NC, Cantwell LB, Tárrega L, Dufouil C, Hardy J, Crane PK, Eiriksdottir G, Hannequin D, Clarke R, Evans D, Mosley TH Jr, Letenneur L, Brayne C, **Maier W,** De Jager P, Emilsson V, Dartigues JF, Hampel H, Kamboh MI, de Bruijn RF, Tzourio C, Pastor P, Larson EB, Rotter JI, O'Donovan MC, Montine TJ, Nalls MA, Mead S, Reiman EM, Jonsson PV, Holmes C, St George-Hyslop PH, Boada M, Passmore P, Wendland JR, Schmidt R, Morgan K, Winslow AR, Powell JF, Carasquillo M, Younkin SG, Jakobsdóttir J, Kauwe JS, Wilhelmsen KC, Rujescu D, Nöthen MM, Hofman A, Jones L; IGAP Consortium, Haines JL, Psaty BM, Van Broeckhoven C, Holmans P, Launer LJ, Mayeux R, Lathrop M, Goate AM, Escott-Price V, Seshadri S, Pericak-Vance MA, Amouyel P, Williams J, van Duijn CM, Schellenberg GD, Farrer LA. A novel Alzheimer disease locus located near the gene encoding tau protein.
Mol Psychiatry. 2016;21(1): 108-17

Kasparbauer AM, Meyhöfer I, Steffens M, Weber B, **Aydin M,** Kumari V, **Hurlemann R,** Ettinger U. Neural effects of methylphenidate and nicotine during smooth pursuit eye movements.
Neuroimage. 2016;141: 52-9

Kaut O, Becker B, Schneider C, Zhou F, **Fliessbach K, Hurlemann R,** Wüllner U. Stochastic resonance therapy induces increased movement related caudate nucleus activity.
J Rehabil Med. 2016;48(9): 815-8

Khalsa SS, Feinstein JS, Li W, Feusner JD, Adolphs R, **Hurlemann R.** Panic Anxiety in Humans with Bilateral Amygdala Lesions: Pharmacological Induction via Cardiorespiratory Interoceptive Pathways.
J Neurosci. 2016;36(12): 3559-66

Kommescher M, **Wagner M,** Pützfeld V, **Berning J,** Janssen B, Decker P, Bottlender R, Möller HJ, Gaebel W, **Maier W,** Klosterkötter J, Bechdolf A. Coping as a predictor of treatment outcome in people at clinical high risk of psychosis.
Early Interv Psychiatry. 2016;10(1): 17-27

Koppara A, Wolfsgruber S, Kleineidam L, Schmidtke K, Frölich L, Kurz A, Schulz S, Hampel H, Heuser I, Peters O, Reischies FM, Jahn H, Luckhaus C, Hüll M, Gertz HJ, Schröder J, Pantel J, Rienhoff O, Rütger E, Henn F, Wiltfang J, **Maier W, Jessen F,** Kornhuber J, **Wagner M.** The Latent Dementia Phenotype delta is Associated with Cerebrospinal Fluid Biomarkers of Alzheimer's Disease and Predicts Conversion to Dementia in Subjects with Mild Cognitive Impairment.
J Alzheimers Dis. 2016;49(2): 547-60

Lennertz L, An der Heiden W, Kronacher R, **Schulze-Rauschenbach S**, **Maier W**, Häfner H, **Wagner M**. Smaller than expected cognitive deficits in schizophrenia patients from the population-representative ABC catchment cohort.

Eur Arch Psychiatry Clin Neurosci. 2016;266(5): 423-31

Louwersheimer E, **Wolfsgruber S**, Espinosa A, Lacour A, Heilmann-Heimbach S, Alegret M, Hernández I, Rosende-Roca M, Tárraga L, Boada M, Kornhuber J, Peters O, Frölich L, Hüll M, Rütger E, Wiltfang J, Scherer M, Riedel-Heller S, Jessen F, Nöthen MM, **Maier W**, Koene T, Scheltens P, Holstege H, **Wagner M**, Ruiz A, van der Flier WM, Becker T, **Ramirez A**. Alzheimer's disease risk variants modulate endophenotypes in mild cognitive impairment.

Alzheimers Dement. 2016;12(8): 872-81

Maier W, Hauth I, Berger M, Saß H. Zwischenmenschliche Gewalt im Kontext affektiver und psychotischer Störungen.

Nervenarzt. 2016;87(1): 53-68

Mengel D, Dams J, Ziemek J, **Becker J**, Balzer-Geldsetzer M, Hilker R, Baudrexel S, Kalbe E, Schmidt N, Witt K, Liepelt-Scarfone I, Gräber S, Petrelli A, Neuser P, Schulte C, Linse K, Storch A, Wittchen HU, Riedel O, Mollenhauer B, Ebentheuer J, Trenkwalder C, Klockgether T, Spottke A, Wüllner U, Schulz JB, Reetz K, Heber IA, **Ramirez A**, Dodel R. Apolipoprotein E e4 does not affect cognitive performance in patients with Parkinson's disease.

Parkinsonism Relat Disord. 2016;29: 112-6

Mengel D, **Thelen M**, Balzer-Geldsetzer M, Söling C, Bach JP, Schaeffer E, Herold C, Becker T, Liepelt I, Becker J, Riedel-Heller S, Scherer M, Jessen F, **Maier W**, Dodel R, **Ramirez A**. TREM2 rare variant p.R47H is not associated with Parkinson's disease.

Parkinsonism Relat Disord. 2016;23: 109-11

Mobascher A, Diaz-Lacava A, **Wagner M**, Gallinat J, Wienker TF, Drichel D, Becker T, Steffens M, Dahmen N, Gründer G, Thürauf N, Kiefer F, Kornhuber J, Toliat MR, Thiele H, Nürnberg P, Steinlein O, Winterer G. Association of Common Polymorphisms in the Nicotinic Acetylcholine Receptor Alpha4 Subunit Gene with an Electrophysiological Endophenotype in a Large Population-Based Sample.

PLoS One. 2016;11(4): e0152984

Möller-Leimkühler AM, Möller HJ, **Maier W**, Gaebel W, Falkai P. EPA guidance on improving the image of psychiatry.

Eur Arch Psychiatry Clin Neurosci. 2016;266(2): 139-54

Pastor P, Moreno F, Clarimón J, Ruiz A, Combarros O, Calero M, López de Munain A, Bullido MJ, de Pancorbo MM, Carro E, Antonell A, Coto E, Ortega-Cubero S, Hernandez I, Tárraga L, Boada M, Lleó A, Dols-Icardo O, Kulisevsky J, Vázquez-Higuera JL, Infante J, Rábano A, Fernández-Blázquez MÁ, Valentí M, Indakoetxea B, Barandiarán M, Gorostidi A, Frank-García A, Sastre I, Lorenzo E, Pastor MA, Elcoroaristizabal X, **Lennarz M**, **Maier W**, **Rámirez A**, Serrano-Ríos M, Lee SE, Sánchez-Juan P; Dementia Genetic Spanish Consortium (DEGESCO). MAPT H1 Haplotype is Associated with Late-Onset Alzheimer's Disease Risk in APOEepsilon4 Noncarriers: Results from the Dementia Genetics Spanish Consortium.

J Alzheimers Dis. 2016;49(2): 343-52

Peters O, Heuser I, Frölich L, Rütger E, Rienhoff O, Kornhuber J, Wiltfang J, **Maier W**. Das Kompetenznetz Demenzen. Erfolge und Ausblicke.

Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 2016;59(4): 438-43

Rausch F, Eisenacher S, Elkin H, Englisch S, **Kayser S**, **Striepens N**, Lautenschlager M, Heinz A, Gudlowski Y, Janssen B, Gaebel W, Michel TM, Schneider F, Lambert M, Naber D, Juckel G, Krueger-Oezguerdel S, Wobrock T, Hasan A, Riedel M, Moritz S, Müller H, Klosterkötter J, Bechdolf A, Zink M, **Wagner M**. Evaluation of the 'Jumping to conclusions' bias in different subgroups of the at-risk mental state: from cognitive basic symptoms to UHR criteria.

Psychol Med. 2016;46(10): 2071-81

Roehr S, Luck T, **Heser K**, Fuchs A, Ernst A, Wiese B, Werle J, Bickel H, Brettschneider C, **Koppa A**, Pentzek M, Lange C, Prokein J, Weyerer S, Mösch E, König HH, **Maier W**, Scherer M, Jessen F, Riedel-Heller SG; AgeCoDe Study Group. Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly - Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). *PLoS One*. 2016;11(1): e0147050

Rucker JJ, Tansey KE, Rivera M, Pinto D, Cohen-Woods S, Uher R, Aitchison KJ, Craddock N, Owen MJ, Jones L, Jones I, Korszun A, Barnes MR, Preisig M, Mors O, **Maier W**, Rice J, Rietschel M, Holsboer F, Farmer AE, Craig IW, Scherer SW, McGuffin P, Breen G. Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. *Biol Psychiatry*. 2016;79(4): 329-36

Scheele D, Plota J, Stoffel-Wagner B, **Maier W**, **Hurlemann R**. Hormonal contraceptives suppress oxytocin-induced brain reward responses to the partner's face. *Soc Cogn Affect Neurosci*. 2016;11(5): 767-74

Schennach R, Möller HJ, Obermeier M, Seemüller F, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, **Maier W**, Lemke MR, Rütther E, Klingberg S, Gastpar M, Musil R, Spellmann I, Riedel M. Challenging the understanding of significant improvement and outcome in schizophrenia - the concept of reliable and clinically significant change methods. *Int J Methods Psychiatr Res*. 2016;25(1): 3-11

Schmaal L, Veltman DJ, van Erp TG, Sämann PG, Frodl T, Jahanshad N, Loehrer E, Tiemeier H, Hofman A, Niessen WJ, Vernooij MW, Ikram MA, Wittfeld K, Grabe HJ, Block A, Hegenscheid K, Völzke H, Hoehn D, Czisch M, Lagopoulos J, Hatton SN, Hickie IB, Goya-Maldonado R, Krämer B, Gruber O, Couvy-Duchesne B, Rentería ME, Strike LT, Mills NT, de Zubicaray GI, McMahon KL, Medland SE, Martin NG, Gillespie NA, Wright MJ, Hall GB, MacQueen GM, Frey EM, Carballo A, van Velzen LS, van Tol MJ, van der Wee NJ, Veer IM, Walter H, Schnell K, Schramm E, Normann C, **Schoepf D**, Konrad C, Zurowski B, Nickson T, McIntosh AM, Papmeyer M, Whalley HC, Sussmann JE, Godlewska BR, Cowen PJ, Fischer FH, Rose M, Penninx BW, Thompson PM, Hibar DP. Subcortical brain alterations in major depressive disorder: findings from the ENIGMA Major Depressive Disorder working group. *Mol Psychiatry*. 2016;21(6): 806-12

Schmaal L, Veltman DJ, van Erp TG, Sämann PG, Frodl T, Jahanshad N, Loehrer E, Vernooij MW, Niessen WJ, Ikram MA, Wittfeld K, Grabe HJ, Block A, Hegenscheid K, Hoehn D, Czisch M, Lagopoulos J, Hatton SN, Hickie IB, Goya-Maldonado R, Krämer B, Gruber O, Couvy-Duchesne B, Rentería ME, Strike LT, Wright MJ, de Zubicaray GI, McMahon KL, Medland SE, Gillespie NA, Hall GB, van Velzen LS, van Tol MJ, van der Wee NJ, Veer IM, Walter H, Schramm E, Normann C, **Schoepf D**, Konrad C, Zurowski B, McIntosh AM, Whalley HC, Sussmann JE, Godlewska BR, Fischer FH, Penninx BW, Thompson PM, Hibar DP. Response to Dr Fried & Dr Kievit, and Dr Malhi et al.: The volumes of subcortical regions in depressed and healthy individuals are strikingly similar: a reinterpretation of the results by Schmaal et al. *Mol Psychiatry*. 2016;21(6): 726-8

Schmitgen M, Walter H, **Drost S**, Rückl S, Schnell K. Stimulus-dependent amygdala involvement in affective theory of mind generation. *Neuroimage*. 2016;129: 450-9

Schwantes-An TH, Zhang J, Chen LS, Hartz SM, Culverhouse RC, Chen X, Coon H, Frank J, Kamens HM, Konte B, Kovanen L, Latvala A, Legrand LN, Maher BS, Melroy WE, Nelson EC, Reid MW, Robinson JD, Shen PH, Yang BZ, Andrews JA, Aveyard P, Beltcheva O, Brown SA, Cannon DS, Cichon S, Corley RP, Dahmen N, Degenhardt L, Foroud T, Gaebel W, Giegling I, Glatt SJ, Grucza RA, Hardin J, Hartmann AM, Heath AC, Herms S, Hodgkinson CA, Hoffmann P, Hops H, Huizinga D, Ising M, Johnson EO, Johnstone E, Kaneva RP, Kendler KS, Kiefer F, Kranzler HR, Krauter KS, Levran O, Lucae S, Lynskey MT, **Maier W**, Mann K, Martin NG, Mattheisen M, Montgomery GW, Müller-Myhsok B, Murphy MF, Neale MC, Nikolov MA, Nishita D, Nöthen MM, Nurnberger J, Partonen T, Pergadia ML, Reynolds M, Ridinger M, Rose RJ, Rouvinen-Lagerström N, Scherbaum N, Schmärl C, Soyka M,

Stallings MC, Steffens M, Treutlein J, Tsuang M, Wall TL, Wodarz N, Yuferov V, Zill P, Bergen AW, Chen J, Cinciripini PM, Edenberg HJ, Ehringer MA, Ferrell RE, Gelernter J, Goldman D, Hewitt JK, Hopfer CJ, Iacono WG, Kaprio J, Kreek MJ, Kremensky IM, Madden PA, McGue M, Munafò MR, Philibert RA, Rietschel M, Roy A, Rujescu D, Saarikoski ST, Swan GE, Todorov AA, Vanyukov MM, Weiss RB, Bierut LJ, Saccone NL. Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts.
Behav Genet. 2016;46(2): 151-69

Solomon A, **Maier W**. DGPPN Best Paper Award für herausragende Publikationen in Der Nervenarzt : Prof. Dr. F. Jacobi als Preisträger 2015 geehrt.
Nervenarzt. 2016;87(1): 97-8

Stamm TJ, Rampp C, Wiethoff K, Stingl J, **Mössner R**, O'Malley G, Ricken R, Seemüller F, Keck M, Fisher R, Gaebel W, **Maier W**, Möller HJ, Bauer M, Adli M. The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression.
J Psychopharmacol. 2016;30(1): 40-7

Steffens M, **Becker B**, Neumann C, Kasparbauer AM, Meyhöfer I, Weber B, Mehta MA, **Hurlemann R**, Ettinger U. Effects of ketamine on brain function during smooth pursuit eye movements.
Hum Brain Mapp. 2016;37(11): 4047-60

Stein J, Pabst A, Weyerer S, Werle J, **Maier W**, **Heilmann K**, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, Mamone S, König HH, Bock JO, Riedel-Heller SG. The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe study.
J Affect Disord. 2016;193: 309-17

Striepens N, **Schröter F**, Stoffel-Wagner B, **Maier W**, **Hurlemann R**, **Scheele D**. Oxytocin enhances cognitive control of food craving in women.
Hum Brain Mapp. 2016;37(12): 4276-85

Teipel S, Raiser T, Riedl L, Riederer I, Schroeter ML, Bisenius S, Schneider A, Kornhuber J, **Fliessbach K**, Spottke A, Grothe MJ, Prudlo J, Kassubek J, Ludolph A, Landwehrmeyer B, Straub S, Otto M, Danek A; FTLDc study group. Atrophy and structural covariance of the cholinergic basal forebrain in primary progressive aphasia.
Cortex. 2016;83: 124-35

Wolfsgruber S, **Kleineidam L**, **Wagner M**, Mösch E, Bickel H, Lühmann D, Ernst A, Wiese B, Steinmann S, König HH, Brettschneider C, Luck T, Stein J, Weyerer S, Werle J, Pentzek M, Fuchs A, **Maier W**, Scherer M, Riedel-Heller SG, Jessen F; AgeCoDe Study Group. Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline.
J Alzheimers Dis. 2016;54(3): 1135-46

Zäske H, Degner D, Jockers-Scherübl M, Klingberg S, Klosterkötter J, **Maier W**, Möller HJ, Sauer H, Schmitt A, Gaebel W. Erleben von Stigma und Diskriminierung bei ersterkrankten Schizophreniepatienten.
Nervenarzt. 2016;87(1): 82-7

Bücher und Buchbeiträge