

Aktuelle Publikationen von Mitarbeitern oder unter Beteiligung von Mitarbeitern der Klinik und Poliklinik für Psychiatrie und Psychotherapie im Jahr 2008

Articles, Editorial Material, Letters, News Items, Notes und Reviews

Abler B, Greenhouse I, Ongur D, **Walter H**, Heckers S. Abnormal reward system activation in mania. *Neuropsychopharmacology*. 2008;33(9): 2217-27 (Impact(2007)=6.157)

Baum AE, Akula N, Cabanero M, Cardona I, Corona W, Klemens B, Schulze TG, Cichon S, Rietschel M, Nöthen MM, Georgi A, Schumacher J, Schwarz M, Abou Jamra R, **Höfels S**, Propping P, Satagopan J, Detera-Wadleigh SD, Hardy J, McMahon FJ. A genome-wide association study implicates diacylglycerol kinase eta (DGKH) and several other genes in the etiology of bipolar disorder.

Mol Psychiatry. 2008;13(2): 197-207 (Impact(2007)=10.900)

Buchheim A, **Erk S**, George C, Kächele H, Kircher T, Martius P, Pokorny D, Ruchsow M, Spitzer M, **Walter H**. Neural correlates of attachment trauma in borderline personality disorder: A functional magnetic resonance imaging study.

Psychiatry Res. 2008;163(3): 223-35 (Impact(2007)=2.298)

Cichon S, Winge I, Mattheisen M, Georgi A, Karpushova A, Freudenberg J, Freudenberg-Hua Y, Babadjanova G, Van Den Bogaert A, Abramova LI, Kapiletti S, Knappskog PM, McKinney J, **Maier W**, Jamra RA, Schulze TG, Schumacher J, Propping P, Rietschel M, Haavik J, Nöthen MM. Brain-specific tryptophan hydroxylase 2 (TPH2): a functional Pro206Ser substitution and variation in the 5'-region are associated with bipolar affective disorder.

Hum Mol Genet. 2008;17(1): 87-97 (Impact(2007)=7.806)

Domschke K, Hohoff C, Jacob C, **Maier W**, Fritze J, Bandelow B, Krakowitzky P, Kästner F, Rothermundt M, Arolt V, Deckert J. Chromosome 4q31-34 panic disorder risk locus: association of neuropeptide Y Y5 receptor variants.

Am J Med Genet B Neuropsychiatr Genet. 2008;147B(4): 510-6 (Impact(2007)=4.224)

Ebner F, Tepest R, Dani I, Pfeiffer U, Schulze TG, Rietschel M, **Maier W**, Träber F, Block W, Schild HH, **Wagner M**, Steinmetz H, Gaebel W, Honer WG, Schneider-Axmann T, Falkai P. The hippocampus in families with schizophrenia in relation to obstetric complications.

Schizophr Res. 2008;104(1-3): 71-8 (Impact(2007)=4.240)

Erhardt A, Lucae S, Kern N, Unschuld PG, Ising M, Lieb R, Uhr M, Hohoff C, Deckert J, Bandelow B, **Maier W**, Binder EB, Müller-Myhsok B, Keck ME, Holsboer F. Association of polymorphisms in the angiotensin-converting enzyme gene with syndromal panic attacks.

Mol Psychiatry. 2008;13(3): 242-3 (Impact(2007)=10.900)

Erk S, Walter H, Abler B. Age-related physiological responses to emotion anticipation and exposure. *Neuroreport*. 2008;19(4): 447-52 (Impact(2007)=2.163)

Ettelt S, Grabe HJ, Ruhrmann S, **Buhtz F**, **Hochrein A**, Kraft S, Pukrop R, Klosterkötter J, Falkai P, **Maier W**, John U, Freyberger HJ, **Wagner M**. Harm avoidance in subjects with obsessive-compulsive disorder and their families.

J Affect Disord. 2008;107(1-3): 265-9 (Impact(2007)=3.144)

Falkai P, Mike O, Inez MG, Paul H, **Bilkei-Gorzo A**, Sophia F, MEOS Consortium. A roadmap to disentangle the molecular etiology of schizophrenia.

Eur Psychiatry. 2008;23(4): 224-32 (Impact(2007)=1.875)

Fritze J, Aldenhoff J, Bergmann F, Eckermann G, **Maier W**, Möller HJ, Gaebel W. Priorität für atypische Neuroleptika.

Psychiatr Praxis. 2008;35: 94-8 (Impact(2007)=1.815)

Frommann I, Brinkmeyer J, Ruhrmann S, Hack E, Brockhaus-Dumke A, Bechdolf A, Wölwer W, Klosterkötter J, **Maier W**, **Wagner M**. Auditory P300 in individuals clinically at risk for psychosis. *Int J Psychophysiol*. 2008;70(3): 192-205 (Impact(2007)=2.205)

Gaebel W, Zäske H, Baumann AE, Klosterkötter J, **Maier W**, Decker P, Möller HJ. Evaluation of the German WPA "program against stigma and discrimination because of schizophrenia--Open the Doors": results from representative telephone surveys before and after three years of antistigma interventions. *Schizophr Res*. 2008;98(1-3): 184-93 (Impact(2007)=4.240)

Grabe HJ, Ruhrmann S, Spitzer C, Josepeit J, Ettelt S, **Buhtz F**, **Hochrein A**, **Schulze-Rauschenbach S**, Meyer K, Kraft S, Reck C, Pukrop R, Klosterkötter J, Falkai P, **Maier W**, **Wagner M**, John U, Freyberger HJ. Obsessive-compulsive disorder and posttraumatic stress disorder. *Psychopathology*. 2008;41(2): 129-34 (Impact(2007)=1.441)

Gruber O, Falkai P, Schneider-Axmann T, Schwab SG, **Wagner M**, **Maier W**. Neuregulin-1 haplotype HAP(ICE) is associated with lower hippocampal volumes in schizophrenic patients and in non-affected family members.

J Psychiatr Res. 2008;43(1): 1-6 (Impact(2007)=3.710)

Hartwig C, Haasen C, Reimer J, Garbe W, **Lichtermann D**, Wuellenweber L, **Dilg C**. Pregnancy and birth under maintenance treatment with diamorphine (heroin): a case report. *Eur Addict Res*. 2008;14(2): 113-4 (Impact(2007)=1.583)

Hurlemann R. Noradrenergic-glucocorticoid mechanisms in emotion-induced amnesia: from adaptation to disease.

Psychopharmacology (Berl). 2008;197(1): 13-23 (Impact(2007)=3.561)

Hurlemann R, **Jessen F**, **Wagner M**, **Frommann I**, Ruhrmann S, Brockhaus A, Picker H, Scheef L, Block W, Schild HH, Moller-Hartmann W, Krug B, Falkai P, Klosterkötter J, **Maier W**. Interrelated neuropsychological and anatomical evidence of hippocampal pathology in the at-risk mental state. *Psychol Med*. 2008;38(6): 843-51 (Impact(2007)=4.212)

Hurlemann R, Matusch A, **Kühn KU**, **Berning J**, Elmenhorst D, Winz O, **Kölsch H**, Zilles K, **Wagner M**, **Maier W**, Bauer A. 5-HT2A receptor density is decreased in the at-risk mental state.

Psychopharmacology (Berl). 2008;195(4): 579-90 (Impact(2007)=3.561)

Hurlemann R, **Rehme AK**, **Diessel M**, **Kukolja J**, **Maier W**, **Walter H**, Cohen MX. Segregating intraamygdalar responses to dynamic facial emotion with cytoarchitectonic maximum probability maps. *J Neurosci Methods*. 2008;172(1): 13-20 (Impact(2007)=1.884)

Jäger M, Messer T, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, **Maier W**, Lemke MR, Rüther E, Buchkremer G, Gastpar M, Riedel M, Bottlender R, Strauss A, Möller HJ. Standardized remission criteria in schizophrenia: descriptive validity and comparability with previously used outcome measures.

Pharmacopsychiatry. 2008;41(5): 190-5 (Impact(2007)=3.234)

Jäger M, Riedel M, Schmauss M, Pfeiffer H, Laux G, Naber D, Gaebel W, Huff W, Schmidt LG, Heuser I, Buchkremer G, **Kühn KU**, Rüther E, Hoff P, Gastpar M, Bottlender R, Strauss A, Möller HJ. Depression during an acute episode of schizophrenia or schizopreniform disorder and its impact on treatment response.

Psychiatry Res. 2008;158(3): 297-305 (Impact(2007)=2.298)

Jessen F. Neue Perspektiven der Bildgebung in der Diagnostik bei Demenzen. *Nervenarzt*. 2008;79(11): 129-34 (Impact(2007)=0.601)

Jessen F. Vier Fragen zu Morbus Alzheimer. *Medical Tribune*. 2008;43: 13

Keck ME, Kern N, Erhardt A, Unschuld PG, Ising M, Salyakina D, Müller MB, Knorr CC, Lieb R, Hohoff C, Krakowitzky P, **Maier W**, Bandelow B, Fritze J, Deckert J, Holsboer F, Müller-Myhsok B, Binder EB. Combined effects of exonic polymorphisms in CRHR1 and AVPR1B genes in a case/control study for panic disorder.

Am J Med Genet B Neuropsychiatr Genet. 2008;147B(7): 1196-204 (Impact(2007)=4.224)

Kircher T, Weis S, Leube D, **Freymann K**, Erb M, **Jessen F**, Grodd W, **Heun R**, Krach S. Anterior hippocampus orchestrates successful encoding and retrieval of non-relational memory: an event-related fMRI study.

Eur Arch Psychiatry Clin Neurosci. 2008;258(6): 363-72 (Impact(2007)=2.809)

Kölsch H, Jessen F, Wiltfang J, Lewczuk P, Dichgans M, Kornhuber J, Frölich L, Heuser I, Peters O, Schulz JB, Schwab SG, **Maier W**. Influence of SORL1 gene variants: association with CSF amyloid-beta products in probable Alzheimer's disease.

Neurosci Lett. 2008;440(1): 68-71 (Impact(2007)=2.085)

Kosel M, Noss RS, Hämmig R, Wielepp P, Bundeli P, Heidbreder R, Kinser JA, Brenneisen R, Fisch HU, **Kayser S**, **Schläpfer TE**. Cerebral blood flow effects of acute intravenous heroin administration.

Eur Neuropsychopharmacol. 2008;18(4): 278-85 (Impact(2007)=4.430)

Kukolja J, Schläpfer T, Keysers C, Klingmüller D, **Maier W**, Fink GR, **Hurlemann R**. Modeling a negative response bias in the human amygdala by noradrenergic-glucocorticoid interactions.

J Neurosci. 2008;28(48): 12868-76 (Impact(2007)=7.490)

Landsberg MW, Wagner M. Neurokognitive Grundlagen von Positivsymptomatik.

Nervenheilkunde. 2008;27(11): 1021-6 (Impact(2007)=0.437)

Leube DT, Weis S, **Freymann K**, Erb M, **Jessen F**, **Heun R**, Grodd W, Kircher TT. Neural correlates of verbal episodic memory in patients with MCI and Alzheimer's disease--a VBM study.

Int J Geriatr Psychiatry. 2008;23(11): 1114-8 (Impact(2007)=2.197)

Lewczuk P, Kornhuber J, Vanderstichele H, Vanmechelen E, Esselmann H, Bibl M, Wolf S, Otto M, Reulbach U, **Kölsch H, Jessen F**, Schröder J, Schönknecht P, Hampel H, Peters O, Weimer E, Perneczky R, Jahn H, Luckhaus C, Lamla U, Supprian T, Maler JM, Wiltfang J. Multiplexed quantification of dementia biomarkers in the CSF of patients with early dementias and MCI: a multicenter study.

Neurobiol Aging. 2008;29(6): 812-8 (Impact(2007)=5.607)

Lewitzka U, Müller-Oerlinghausen B, Felber W, Brunner J, **Hawellek B**, Rujescu D, Ising M, Lauterbach E, Broocks A, Bondy B, **Rao ML**, **Frahmert C**, Heuser I, Hohagen F, **Maier W**, Bronisch T. Is MAO-B activity in platelets associated with the occurrence of suicidality and behavioural personality traits in depressed patients?

Acta Psychiatr Scand. 2008;117: 41-9 (Impact(2007)=3.782)

Ludewick HP, Schwab SG, Albus M, Lerer B, **Maier W**, Trixler M, Wildenauer DB. No support for an association with TAAR6 and schizophrenia in a linked population of European ancestry.

Psychiatr Genet. 2008;18(4): 208-10 (Impact(2007)=2.257)

Maier W. Common risk genes for affective and schizophrenic psychoses.

Eur Arch Psychiatry Clin Neurosci. 2008;258 Suppl 2: 37-40 (Impact(2007)=2.809)

Maier W, Jessen F. Forschungsansätze in der Demenz. Neue Therapien sind absehbar.

Neurotransmitter. 2008;19(S2): 18-23

Maier W, Mössner R, Quednow BB, Wagner M, Hurlemann R. From genes to psychoses and back: the role of the 5HT2alpha-receptor and prepulse inhibition in schizophrenia.

Eur Arch Psychiatry Clin Neurosci. 2008;258 Suppl: 40-3 (Impact(2007)=2.809)

Maier W, Zobel A. Contribution of allelic variations to the phenotype of response to antidepressants and antipsychotics.

Eur Arch Psychiatry Clin Neurosci. 2008;258 Suppl 1: 12-20 (Impact(2007)=2.809)

Marshall CR, Noor A, Vincent JB, Lionel AC, Feuk L, Skaug J, Shago M, **Mössner R**, Pinto D, Ren Y, Thiruvahindrapuram B, Fiebig A, Schreiber S, Friedman J, Ketelaars CE, Vos YJ, Ficicioglu C, Kirkpatrick S, Nicolson R, Sloman L, Summers A, Gibbons CA, Teebi A, Chitayat D, Weksberg R, Thompson A, Vardy C, Crosbie V, Luscombe S, Baatjes R, Zwaigenbaum L, Roberts W, Fernandez B, Szatmari P, Scherer SW. Structural variation of chromosomes in autism spectrum disorder.
Am J Hum Genet. 2008;82(2): 477-88 (Impact(2007)=11.092)

Möller HJ, Riedel M, Jäger M, Wickelmaier F, **Maier W, Kühn KU**, Buchkremer G, Heuser I, Klosterkötter J, Gastpar M, Braus DF, Schlösser R, Schneider F, Ohmann C, Riesbeck M, Gaebel W. Short-term treatment with risperidone or haloperidol in first-episode schizophrenia: 8-week results of a randomized controlled trial within the German Research Network on Schizophrenia.
Int J Neuropsychopharmacol. 2008;11(7): 985-97 (Impact(2007)=4.895)

Mössner R, Schuhmacher A, Schulze-Rauschenbach S, Kühn KU, Rujescu D, Rietschel M, Zobel A, Franke P, Wölwer W, Gaebel W, Häfner H, Wagner M, Maier W. Further evidence for a functional role of the glutamate receptor gene GRM3 in schizophrenia.

Eur Neuropsychopharmacol. 2008;18(10): 768-72 (Impact(2007)=4.430)

Moskvina V, Farmer A, Jones IR, Brewster S, Ferrero F, Gill M, Jones LA, **Maier W**, Mors O, Owen MJ, Perry J, Preisig M, Rietschel M, McGuffin P, Craddock N, Korszun A. Sex differences in symptom patterns of recurrent major depression in siblings.
Depress Anxiety. 2008;25(6): 527-34 (Impact(2007)=1.893)

O'Donovan MC, Craddock N, Norton N, Williams H, Peirce T, Moskvina V, Nikolov I, Hamshere M, Carroll L, Georgieva L, Dwyer S, Holmans P, Marchini JL, Spencer CC, Howie B, Leung HT, Hartmann AM, Möller HJ, Morris DW, Shi Y, Feng G, Hoffmann P, Propping P, Vasilescu C, **Maier W**, Rietschel M, Zammit S, Schumacher J, Quinn EM, Schulze TG, Williams NM, Giegling I, Iwata N, Ikeda M, Darvasi A, Shifman S, He L, Duan J, Sanders AR, Levinson DF, Gejman PV; Molecular Genetics of Schizophrenia Collaboration, Gejman PV, Sanders AR, Duan J, Levinson DF, Buccola NG, Mowry BJ, Freedman R, Amin F, Black DW, Silverman JM, Byerley WF, Cloninger CR, Cichon S, Nöthen MM, Gill M, Corvin A, Rujescu D, Kirov G, Owen MJ. Identification of loci associated with schizophrenia by genome-wide association and follow-up.
Nat Genet. 2008;40(9): 1053-5 (Impact(2007)=25.556)

Quednow BB, Frommann I, Berning J, Kühn KU, Maier W, Wagner M. Impaired sensorimotor gating of the acoustic startle response in the prodrome of schizophrenia.
Biol Psychiatry. 2008;64(9): 766-73 (Impact(2007)=8.456)

Quednow BB, Kühn KU, Mössner R, Schwab SG, Schuhmacher A, Maier W, Wagner M. Sensorimotor gating of schizophrenia patients is influenced by 5-HT2A receptor polymorphisms.
Biol Psychiatry. 2008;64(5): 434-7 (Impact(2007)=8.456)

Qureischie H, Heun R, Lütjohann D, Popp J, Jessen F, Ledschbor-Frahnert C, Thiele H, Maier W, Hentschel F, Kelemen P, Kölsch H. CETP polymorphisms influence cholesterol metabolism but not Alzheimer's disease risk.

Brain Res. 2008;1232: 1-6 (Impact(2007)=2.218)

Racz I*, Nadal X*, **Alferink J***, Baños JE, Rehnelt J, Martín M, Pintado B, Gutierrez-Adan A, Sanguino E, Bellora N, Manzanares J, Zimmer A, Maldonado R. Interferon-gamma is a critical modulator of CB2 cannabinoid receptor signaling during neuropathic pain.
J Neurosci. 2008;28(46): 12136-45 (Impact(2007)=7.490)

* these authors contributed equally

Racz I*, Nadal X*, **Alferink J***, Baños JE, Rehnelt J, Martín M, Pintado B, Gutierrez-Adan A, Sanguino E, Manzanares J, Zimmer A, Maldonado R. Crucial role of CB2 cannabinoid receptor in the regulation of central immune responses during neuropathic pain.

J Neurosci. 2008;28(46): 12125-35 (Impact(2007)=7.490)

* these authors contributed equally

Racz I, Schürmann B, Karpushova A, Reuter M, Cichon S, Montag C, Fürst R, **Schütz C, Franke PE**, Strohmaier J, Wienker TF, Terenius L, Osby U, Gunnar A, **Maier W, Bilkei-Gorzo A**, Nöthen M, Zimmer A. The opioid peptides enkephalin and beta-endorphin in alcohol dependence.
Biol Psychiatry. 2008;64(11): 989-97 (Impact(2007)=8.456)

Rietschel M, Beckmann L, Strohmaier J, Georgi A, Karpushova A, Schirmbeck F, Boesshenz KV, Schmäl C, Bürger C, Jamra RA, Schumacher J, **Höfels S**, Kumsta R, Entringer S, Krug A, Markov V, **Maier W**, Propping P, Wüst S, Kircher T, Nöthen MM, Cichon S, Schulze TG. G72 and its association with major depression and neuroticism in large population-based groups from Germany.
Am J Psychiatry. 2008;165(6): 753-62 (Impact(2007)=9.127)

Ruchsow M, Groen G, Kiefer M, Buchheim A, **Walter H**, Martius P, Reiter M, Hermle L, Spitzer M, Ebert D, Falkenstein M. Response inhibition in borderline personality disorder: event-related potentials in a Go/Nogo task.

J Neural Transm. 2008;115(1): 127-33 (Impact(2007)=2.672)

Ruhrmann S, Paruch J, Bechdolf A, Pukrop R, **Wagner M, Berning J**, Schultze-Lutter F, Janssen B, Gaebel W, Möller HJ, **Maier W**, Klosterkötter J. Reduced subjective quality of life in persons at risk for psychosis.

Acta Psychiatr Scand. 2008;117(5): 357-68 (Impact(2007)=3.782)

Schaper K, Kölsch H, Popp J, Wagner M, Jessen F. KIBRA gene variants are associated with episodic memory in healthy elderly.

Neurobiol Aging. 2008;29(7): 1123-5 (Impact(2007)=5.607)

Schirmbeck F, Georgi A, Strohmaier J, Schmael C, Boesshenz KV, Mühlleisen TW, Herms S, Hoffmann P, Jamra RA, Schumacher J, **Maier W**, Propping P, Nöthen MM, Cichon S, Rietschel M, Schulze TG. No association between premorbid adjustment in adult-onset schizophrenia and genetic variation in dysbindin.

J Autism Dev Disord. 2008;38(10): 1977-81 (Impact(2007)=3.212)

Schläpfer TE, Cohen MX, Frick C, Kosel M, Brodesser D, Axmacher N, Joe AY, Kreft M, Lenartz D, Sturm V. Deep brain stimulation to reward circuitry alleviates anhedonia in refractory major depression.

Neuropsychopharmacology. 2008;33(2): 368-77 (Impact(2007)=6.157)

Schläpfer TE, Frick C, Zobel A, Maier W, Heuser I, Bajbouj M, O'Keane V, Corcoran C, Adolfsson R, Trimble M, Rau H, Hoff HJ, Padberg F, Müller-Siecheneder F, Audenaert K, Van den Abbeele D, Matthews K, Christmas D, Stanga Z, Hasdemir M. Vagus nerve stimulation for depression: efficacy and safety in a European study.

Psychol Med. 2008;38(5): 651-61 (Impact(2007)=4.212)

Schläpfer T, Winkler R. Praxisrelevante Aspekte der Neurobiologie bipolarer Störungen.

Nervenheilkunde. 2008;27(3): 127-32 (Impact(2007)=0.437)

Schleim S, Spranger T, **Walter H.** Von der Neuroethik zum Neurorecht? - Der Beginn einer neuen Debatte.

Nervenheilkunde. 2008;27(1-2): 92 (Impact(2007)=0.437)

Schnell K, Heekerlen K, Daumann J, Schnell T, Schnitker T, Möller-Hartmann W, Gouzoulis-Mayfrank E. Correlation of passivity symptoms and dysfunctional visuomotor action monitoring in psychosis.
Brain. 2008;131(Pt 10): 2783-97 (Impact(2007)=8.568)

Schütz CG. Using neuroimaging to predict relapse to smoking: role of possible moderators and mediators.

Int J Methods Psychiatr Res. 2008;17(1 Suppl): S78-82 (Impact(2007)=1.308)

Schwab SG, Plummer C, Albus M, Borrman-Hassenbach M, Lerer B, Trixler M, **Maier W**, Wildenauer DB. DNA sequence variants in the metabotropic glutamate receptor 3 and risk to schizophrenia: an association study.

Psychiatr Genet. 2008;18(1): 25-30 (Impact(2007)=2.257)

Synofzik M, **Schläpfer TE.** Stimulating personality: ethical criteria for deep brain stimulation in psychiatric patients and for enhancement purposes.

Biotechnol J. 2008;3(12): 1511-20

Tepest R, Wang L, Csernansky JG, **Neubert P**, Scheef L, **Jessen F.** Hippocampal surface analysis in subjective memory impairment, mild cognitive impairment and Alzheimer's dementia.

Dement Geriatr Cogn Disord. 2008;26(4): 323-9 (Impact(2007)=2.641)

Uher R, Farmer A, **Maier W**, Rietschel M, Hauser J, Marusic A, Mors O, Elkin A, Williamson RJ, Schmael C, Henigsberg N, Perez J, Mendlewicz J, Janzing JG, **Zobel A**, Skibinska M, Kozel D, Stamp AS, Bajs M, Placentino A, Barreto M, McGuffin P, Aitchison KJ. Measuring depression: comparison and integration of three scales in the GENDEP study.

Psychol Med. 2008;38(2): 289-300 (Impact(2007)=4.212)

Vasic N, **Walter H**, Höse A, Wolf RC. Gray matter reduction associated with psychopathology and cognitive dysfunction in unipolar depression: a voxel-based morphometry study.

J Affect Disord. 2008;109(1-2): 107-16 (Impact(2007)=3.144)

Verthein U, Bonorden-Kleij K, Degkwitz P, **Dilg C**, Köhler WK, Passie T, Soyka M, Tanger S, Vogel M, Haasen C. Long-term effects of heroin-assisted treatment in Germany.

Addiction. 2008;103(6): 960-6; discussion 967-8 (Impact(2007)=4.014)

Wagner M, Schuhmacher A, Schwab S, **Zobel A**, **Maier W.** The His452Tyr variant of the gene encoding the 5-HT2A receptor is specifically associated with consolidation of episodic memory in humans.

Int J Neuropsychopharmacol. 2008;11(8): 1163-7 (Impact(2007)=4.895)

Walter H, Wolf RC. Arbeitsgedächtnis und Psychopathologie schizophrener Störungen.

Fortschr Neurol Psychiat. 2008;76 Suppl 1: S16-23 (Impact(2007)=0.583)

Westheide J, Cvetanovska G, Albrecht C, Bliesener N, Cooper-Mahkorn D, Creutz C, Hornung WP, Klingmüller D, Lemke MR, **Maier W**, Schubert M, **Sträter B**, **Kühn KU.** Prolactin, subjective well-being and sexual dysfunction: an open label observational study comparing quetiapine with risperidone.

J Sex Med. 2008;5(12): 2816-26 (Impact(2007)=6.199)

Westheide J, Quednow BB, Kühn KU, Hoppe C, Cooper-Mahkorn D, **Hawellek B**, **Eichler P**, **Maier W**, **Wagner M.** Executive performance of depressed suicide attempters: the role of suicidal ideation.

Eur Arch Psychiatry Clin Neurosci. 2008;258(7): 414-21 (Impact(2007)=2.809)

Westheide J, Weig W, Köhler J, **Kühn KU.** Sexual functioning in the treatment with quetiapine.

Psychopharmakother. 2008;15(4): 153-6 (Impact(2007)=0.248)

Weyerer S, Eifflaender-Gorfer S, Köhler L, **Jessen F**, **Maier W**, Fuchs A, Pentzek M, Kaduszkiewicz H, Bachmann C, Angermeyer MC, Lippa M, Wiese B, Mösch E, Bickel H; for the German AgeCoDe Study group (German Study on Ageing, Cognition and Dementia in Primary Care Patients). Prevalence and risk factors for depression in non-demented primary care attenders aged 75 years and older.

J Affect Disord. 2008;111(2-3): 153-63 (Impact(2007)=3.144)

Wobrock T, Kamer T, Roy A, Vogeley K, Schneider-Axmann T, **Wagner M, Maier W**, Rietschel M, Schulze TG, Scherk H, Schild HH, Block W, Träber F, Tepest R, Honer WG, Falkai P. Reduction of the internal capsule in families affected with schizophrenia.
Biol Psychiatry. 2008;63(1): 65-71 (Impact(2007)=8.456)

Wölwer W, Brinkmeyer J, Riesbeck M, Freimüller L, Klimke A, **Wagner M**, Möller HJ, Klingberg S, Gaebel W, German Study Group on First Episode Schizophrenia. Neuropsychological impairments predict the clinical course in schizophrenia.
Eur Arch Psychiatry Clin Neurosci. 2008;258 Suppl: 28-34 (Impact(2007)=2.809)

Wolf RC, Höse A, Frasch K, **Walter H**, Vasic N. Volumetric abnormalities associated with cognitive deficits in patients with schizophrenia.
Eur Psychiatry. 2008;23(8): 541-8 (Impact(2007)=1.875)

Wüllner U, Gündisch D, Herzog H, Minnerop M, Joe A, **Warnecke M, Jessen F, Schütz C**, Reinhardt M, Eschner W, Klockgether T, Schmaljohann J. Smoking upregulates alpha 4 beta(2)* nicotinic acetylcholine receptors in the human brain.
Neurosci Lett. 2008;430(1): 34-7 (Impact(2007)=2.085)

Zobel A, Jessen F, von Widdern O, Schuhmacher A, Höfels S, Metten M, Rietschel M, Scheef L, Block W, Becker T, Schild HH, **Maier W**, Schwab SG. Unipolar depression and hippocampal volume: impact of DNA sequence variants of the glucocorticoid receptor gene.
Am J Med Genet B Neuropsychiatr Genet. 2008;147B(6): 836-43 (Impact(2007)=4.224)

Bücher und Buchbeiträge

Maier W, Zobel A, Schwab S (2008) Genetik psychischer Störungen. In: Möller H-J, Laux G, Kapfhammer H-P (Hrsg.) Psychiatrie und Psychotherapie. Bd. 1. 3. Aufl. Springer, Berlin (71-108).

Schleim S, Walter H (2008) Gedankenlesen - Eine Herausforderung für die Neuroethik. In: Vogelsang F, Hoppe C (Eds.) Ohne Hirn ist alles nichts. Impulse für eine Neuroethik. Neukirchener Verlag, Neukirchen-Vluyn (150-168).

Seifert K (2008) Ungenutzter Raum - ein künstlerisches Projekt in einer psychiatrischen Klinik. In: Institut für Weiterbildung im Deutschen Arbeitskreis für Gestaltungstherapie/Klinische Kunsttherapie und Katholische Hochschule für Sozialwesen Berlin (Hrsg.) Konvergenzen - Divergenzen - Transformation : das Merken und Wirken im künstlerischen-gestaltungstherapeutischen Prozess. Institut für Weiterbildung im Deutschen Arbeitskreis Gestaltungstherapie/Klinische Kunsttherapie e. V., Berlin.

Wagner M, Maier W (2008) Genetische Aspekte neuropsychologischer Störungen bei schizophrenen Patienten. In: Kircher T, Gauggel S (Hrsg.) Neuropsychologie der Schizophrenie. Symptome, Kognition, Gehirn. Springer, Heidelberg (44-57).

Wolf RC, **Walter H** (2008) Arbeitsgedächtnis, Psychologie. In: Kircher T, Gauggel S (Hrsg.) Neuropsychologie der Schizophrenie. Springer, Berlin, New York (231-241).