

Aktuelle Publikationen von Mitarbeitern oder unter Beteiligung von Mitarbeitern der Klinik und Poliklinik für Psychiatrie und Psychotherapie im Jahr 2002

Articles, Editorial Material, Letters, News Items, Notes und Reviews

Ames D, Camm J, Cook P, **Falkai P**, Gury C, Hurley R, Johnson G, Piepho R, Vieweg V. Comment minimiser les risques associés à un allongement significatif de l'intervalle QTc chez les personnes souffrant de schizophrénie. Recommandations consensuelles du Cardiac Safety in Schizophrenia Group (CSISG).
Encephale. 2002;28(6 Pt 1): 552-62 (Impact(2006)=0.351)

Bandmann O, Asmus F, Sibbing D, Grundmann M, **Schwab SG**, Müller J, **Wildenauer DB**, Poewe W, Gasser T, Oertel WH. Copper genes are not implicated in the pathogenesis of focal dystonia.
Neurology. 2002;59(5): 782-3 (Impact(2006)=5.69)

Barkow K, Heun R, Ustün TB, Gänsicke M, Wittchen HU, Maier W. Test-retest reliability of self-reported age at onset of selected psychiatric diagnoses in general health care.
Acta Psychiatr Scand. 2002;106(2): 117-25 (Impact(2006)=3.857)

Barkow K, Maier W, Ustün TB, Gänsicke M, Wittchen HU, Heun R. Risk factors for new depressive episodes in primary health care: an international prospective 12-month follow-up study.
Psychol Med. 2002;32(4): 595-607 (Impact(2006)=3.816)

Bilkei-Gorzo A, Racz I, Michel K, Zimmer A. Diminished anxiety- and depression-related behaviors in mice with selective deletion of the Tac1 gene.
J Neurosci. 2002;22(22): 10046-52 (Impact(2006)=7.453)

Block W, **Jessen F**, Träber F, Flacke S, Manka C, Lamerichs R, Keller E, **Heun R**, Schild H. Regional N-acetylaspartate reduction in the hippocampus detected with fast proton magnetic resonance spectroscopic imaging in patients with Alzheimer disease.
Arch Neurol. 2002;59(5): 828-34 (Impact(2006)=5.204)

Block W, Träber F, Flacke S, **Jessen F**, Pohl C, Schild H. In-vivo proton MR-spectroscopy of the human brain: assessment of N-acetylaspartate (NAA) reduction as a marker for neurodegeneration.
Amino Acids. 2002;23(1-3): 317-23 (Impact(2006)=2.104)

Boldogkői Z, Schütz B, Sallach J, Zimmer A. P2X(3) receptor expression at early stage of mouse embryogenesis.
Mech Dev. 2002;118(1-2): 255-60 (Impact(2006)=3.836)

Borgmann S, Haubitz M, **Schwab SG**. Lack of association of alpha-1 antichymotrypsin gene polymorphism with PR3-ANCA and MPO-ANCA associated vasculitis.
Autoimmunity. 2002;35(7): 435-9 (Impact(2006)=2.033)

Buerger K, Teipel SJ, Zinkowski R, Blennow K, Arai H, Engel R, Hofmann-Kiefer K, McCulloch C, **Ptok U, Heun R**, Andreasen N, DeBernardis J, Kerkman D, Moeller H, Davies P, Hampel H. CSF tau protein phosphorylated at threonine 231 correlates with cognitive decline in MCI subjects.
Neurology. 2002;59(4): 627-9 (Impact(2006)=5.69)

Chen CC, **Zimmer A**, Sun WH, Hall J, Brownstein MJ, **Zimmer A**. A role for ASIC3 in the modulation of high-intensity pain stimuli.
Proc Natl Acad Sci U S A. 2002;99(13): 8992-7 (Impact(2006)=9.643)

Danos P, Baumann B, Bernstein HG, Stauch R, Krell D, **Falkai P, Bogerts B**. The ventral lateral posterior nucleus of the thalamus in schizophrenia: a post-mortem study. *Psychiatry Res Neuroimaging*. 2002;114(1): 1-9 (Impact(2006)=2.755)

Davids E, Müller MJ, Rollmann N, Burkart M, Regier-Klein E, Szegedi A, Benkert O, **Maier W**. Syndrome profiles in alcoholism and panic disorder with or without agoraphobia: an explorative family study. *Prog Neuropsychopharmacol Biol Psychiatry*. 2002;26(6): 1079-87 (Impact(2006)=2.584)

Falkai P, Honer WG, Alfter D, Schneider-Axmann T, Bussfeld P, Cordes J, Blank B, Schönell H, Steinmetz H, **Maier W, Tepest R**. The temporal lobe in schizophrenia from uni- and multiply affected families. *Neurosci Lett*. 2002;325(1): 25-8 (Impact(2006)=2.092)

Hawellek B, Maier W. Psychotische Symptome bei Borderline-Persönlichkeitsstörungen - Diagnostik und Behandlung. *Persönlichkeitsstörungen, Theorie und Therapie*. 2002;6: 208-20

Heun R, Kockler M, Ptak U. Depression in Alzheimer's disease: is there a temporal relationship between the onset of depression and the onset of dementia? *Eur Psychiatry*. 2002;17(5): 254-8 (Impact(2006)=1.463)

Heun R, Kockler M, Ptak U. Psychiatric disorders in relatives of subjects with Alzheimer's disease. No evidence for common genetic risk factors. *Eur Arch Psychiatry Clin Neurosci*. 2002;252(2): 93-7 (Impact(2006)=3.042)

Hönig K, Hochrein A, Müller DJ, Wagner M. Different negative priming impairments in schizophrenia and subgroups of obsessive-compulsive disorder. *Psychol Med*. 2002;32(3): 459-68 (Impact(2006)=3.816)

Honer WG, Falkai P, Bayer TA, Xie J, Hu L, Li HY, Arango V, Mann JJ, Dwork AJ, Trimble WS. Abnormalities of SNARE mechanism proteins in anterior frontal cortex in severe mental illness. *Cereb Cortex*. 2002;12(4): 349-56 (Impact(2006)=6.368)

Huber G. Psychopathologie - eine versiegende Quelle? Ein kritischer Kommentar. *Fortschr Neurol Psychiatr*. 2002;70(8): 393-402 (Impact(2006)=0.546)

Jahnes E, Müller DJ, **Schulze TG**, Windemuth C, Cichon S, **Ohlraun S, Fangerau H, Held T, Maier W, Propping P, Nöthen MM, Rietschel M**. Association study between two variants in the DOPA decarboxylase gene in bipolar and unipolar affective disorder. *Am J Med Genet*. 2002;114(5): 519-22 (Impact(2006)=0)

Jessen F, Manka C, Scheef L, Granath DO, Schild HH, Heun R. Novelty detection and repetition suppression in a passive picture viewing task: a possible approach for the evaluation of neuropsychiatric disorders. *Hum Brain Mapp*. 2002;17(4): 230-6 (Impact(2006)=4.888)

Kockler M, Heun R. Gender differences of depressive symptoms in depressed and nondepressed elderly persons. *Int J Geriatr Psychiatry*. 2002;17(1): 65-72 (Impact(2006)=1.93)

Kockler M, Nitardy A, Papassotiropoulos A, Ptak U, Maier W, Heun R. Physical disorders and causes of death in relatives of Alzheimer's disease patients. *Int J Geriatr Psychiatry*. 2002;17(4): 335-42 (Impact(2006)=1.93)

Kölsch H, Lütjohann D, Ludwig M, Schulte A, Ptak U, Jessen F, von Bergmann K, Rao ML, Maier W, Heun R. Polymorphism in the cholesterol 24S-hydroxylase gene is associated with Alzheimer's disease. *Mol Psychiatry*. 2002;7(8): 899-902 (Impact(2006)=11.804)

Kühn KU, Quednow BB, Bagli M, Meyer K, Feuchtl A, Westheide J, Frahnert C, Maier W, Rao ML. Allelic variants of the serotonin(2C) receptor and neuroendocrinological responses to the

serotonin(2C) receptor agonist m-chlorophenylpiperazine in healthy male volunteers.
Pharmacopsychiatry. 2002;35(6): 226-30 (Impact(2006)=2.849)

Kühn KU, Quednow BB, Barkow K, Heun R, Linden M, Maier W. Chronifizierung und psychosoziale Behinderung durch depressive Erkrankungen bei Patienten in der Allgemeinarztpraxis im Einjahresverlauf. Ergebnisse aus einer Studie der Weltgesundheitsorganisation.
Nervenarzt. 2002;73(7): 644-50 (Impact(2006)=0.711)

Lerer B, Segman RH, **Fangerau H**, Daly AK, Basile VS, Cavallaro R, Aschauer HN, McCreadie RG, **Ohlraun S**, Ferrier N, Masellis M, Verga M, Scharfetter J, **Rietschel M**, Lovlie R, Levy UH, Meltzer HY, Kennedy JL, Steen VM, Macciardi F. Pharmacogenetics of tardive dyskinesia: combined analysis of 780 patients supports association with dopamine D3 receptor gene Ser9Gly polymorphism.
Neuropsychopharmacology. 2002;27(1): 105-19 (Impact(2006)=5.889)

Levinson DF, Holmans PA, Laurent C, Mallet J, Riley B, Kendler KS, Pulver AE, Gejman PV, Sanders AR, **Schwab SG, Wildenauer DB**, Owen MJ, Mowry BJ. Is schizophrenia linked to chromosome 1q? Response.
Science. 2002;298(5602): U2-U4 (Impact(2006)=30.028)

Levinson DF, Holmans PA, Laurent C, Riley B, Pulver AE, Gejman PV, **Schwab SG**, Williams NM, Owen MJ, **Wildenauer DB**, Sanders AR, Nestadt G, Mowry BJ, Wormley B, Bauché S, Soubigou S, Ribble R, Nertney DA, Liang KY, Martinolich L, **Maier W**, Norton N, Williams H, Albus M, Carpenter EB, DeMarchi N, Ewen-White KR, Walsh D, Jay M, Deleuze JF, O'Neill FA, Papadimitriou G, Weilbaecher A, Lerer B, O'Donovan MC, Dikeos D, Silverman JM, Kendler KS, Mallet J, Crowe RR, Walters M. No major schizophrenia locus detected on chromosome 1q in a large multicenter sample.
Science. 2002;296(5568): 739-41 (Impact(2006)=30.028)

Lütjohann D, Brzezinka A, **Barth E**, Abramowski D, Staufenbiel M, von Bergmann K, Beyreuther K, Multhaup G, **Bayer TA**. Profile of cholesterol-related sterols in aged amyloid precursor protein transgenic mouse brain.
J Lipid Res. 2002;43(7): 1078-85 (Impact(2006)=4.357)

Maier W. Psychiatrie als Beruf - Wie sieht die Zukunft aus?
Nervenarzt. 2002;73: 96-7 (Impact(2006)=0.711)

Maier W, Lichermand D, Franke P, Heun R, Falkai P, Rietschel M. The dichotomy of schizophrenia and affective disorders in extended pedigrees.
Schizophr Res. 2002;57(2-3): 259-66 (Impact(2006)=4.264)

Majores M, Kölsch H, Bagli M, Papassotiropoulos A, Lohmann PL, Schmitz S, Rao ML, Maier W, Heun R. Cathepsin D: screening for new polymorphisms using single-strand conformation polymorphism analysis.
Int J Mol Med. 2002;9(2): 185-7 (Impact(2006)=1.854)

Majores M, Kölsch H, Bagli M, Ptak U, Kockler M, Becker K, Rao ML, Maier W, Heun R. The insulin gene VNTR polymorphism in Alzheimer's disease: results of a pilot study.
J Neural Transm. 2002;109(7-8): 1029-34 (Impact(2006)=2.938)

Massat I, Souery D, Del-Favero J, Oruc L, Nöthen MM, Blackwood D, Thomson M, Muir W, Papadimitriou GN, Dikeos DG, Kaneva R, Serretti A, Lilli R, Smeraldi E, Jakovljevic M, Folnegovic V, **Rietschel M**, Milanova V, Valente F, Van Broeckhoven C, Mendlewicz J. Excess of allele1 for alpha3 subunit GABA receptor gene (GABRA3) in bipolar patients: a multicentric association study.
Mol Psychiatry. 2002;7(2): 201-7 (Impact(2006)=11.804)

Mubumbila V, Sutter A, **Ptak U, Heun R**, Quirin-Stricker C. Identification of a single nucleotide polymorphism in the choline acetyltransferase gene associated with Alzheimer's disease.
Neurosci Lett. 2002;333(1): 9-12 (Impact(2006)=2.092)

Müller DJ, Schulze TG, Jahnes E, Cichon S, **Krauss H**, Kesper K, Held T, **Maier W**, Propping P, Nöthen MM, **Rietschel M**. Association between a polymorphism in the pseudoautosomal X-linked gene SYBL1 and bipolar affective disorder.
Am J Med Genet. 2002;114(1): 74-8 (Impact(2006)=0)

Müller DJ, Schulze TG, Maciardi F, **Ohlraun S**, **Gross MM**, **Scherk H**, Neidt H, Syagailo YV, Grässle M, Nöthen MM, **Maier W**, Lesch KP, **Rietschel M**. Moclobemide response in depressed patients: association study with a functional polymorphism in the monoamine oxidase A promoter.
Pharmacopsychiatry. 2002;35(4): 157-8 (Impact(2006)=2.849)

Multhaup G, Scheuermann S, Schlicksupp A, Simons A, Strauss M, Kemmling A, Oehler C, Cappai R, Pipkorn R, **Bayer TA**. Possible mechanisms of APP-mediated oxidative stress in Alzheimer's disease.
Free Radic Biol Med. 2002;33(1): 45-51 (Impact(2006)=5.44)

Oades RD, Klimke A, Henning U, **Rao ML**. Relations of clinical features, subgroups and medication to serum monoamines in schizophrenia.
Hum Psychopharmacol. 2002;17(1): 15-27 (Impact(2006)=2.386)

Ohno-Shosaku T, Tsubokawa H, Mizushima I, Yoneda N, **Zimmer A**, Kano M. Presynaptic cannabinoid sensitivity is a major determinant of depolarization-induced retrograde suppression at hippocampal synapses.
J Neurosci. 2002;22(10): 3864-72 (Impact(2006)=7.453)

Okazaki Y, Furuno M, Kasukawa T, Adachi J, Bono H, Kondo S, Nikaido I, Osato N, Saito R, Suzuki H, Yamanaka I, Kiyosawa H, Yagi K, Tomaru Y, Hasegawa Y, Nogami A, Schönbach C, Gojobori T, Baldarelli R, Hill DP, Bult C, Hume DA, Quackenbush J, Schriml LM, Kanapin A, Matsuda H, Batalov S, Beisel KW, Blake JA, Bradt D, Brusic V, Chothia C, Corbani LE, Cousins S, Dalla E, Dragani TA, Fletcher CF, Forrest A, Frazer KS, Gaasterland T, Gariboldi M, Gissi C, Godzik A, Gough J, Grimmond S, Gustincich S, Hirokawa N, Jackson IJ, Jarvis ED, Kanai A, Kawaji H, Kawasawa Y, Kedzierski RM, King BL, Konagaya A, Kurochkin IV, Lee Y, Lenhard B, Lyons PA, Maglott DR, Maltais L, Marchionni L, McKenzie L, Miki H, Nagashima T, Numata K, Okido T, Pavan WJ, Pertea G, Pesole G, Petrovsky N, Pillai R, Pontius JU, Qi D, Ramachandran S, Ravasi T, Reed JC, Reed DJ, Reid J, Ring BZ, Ringwald M, Sandelin A, Schneider C, Semple CA, Setou M, Shimada K, Sultana R, Takenaka Y, Taylor MS, Teasdale RD, Tomita M, Verardo R, Wagner L, Wahlestedt C, Wang Y, Watanabe Y, Wells C, Wilming LG, Wynshaw-Boris A, Yanagisawa M, Yang I, Yang L, Yuan Z, Zavolan M, Zhu Y, **Zimmer A**, Carninci P, Hayatsu N, Hirozane-Kishikawa T, Konno H, Nakamura M, Sakazume N, Sato K, Shiraki T, Waki K, Kawai J, Aizawa K, Arakawa T, Fukuda S, Hara A, Hashizume W, Imotani K, Ishii Y, Itoh M, Kagawa I, Miyazaki A, Sakai K, Sasaki D, Shibata K, Shinagawa A, Yasunishi A, Yoshino M, Waterston R, Lander ES, Rogers J, Birney E, Hayashizaki Y. Analysis of the mouse transcriptome based on functional annotation of 60,770 full-length cDNAs.
Nature. 2002;420(6915): 563-73 (Impact(2006)=26.681)

Papassotiropoulos A, Lewis HD, **Bagli M**, **Jessen F**, **Ptok U**, **Schulte A**, Shearman MS, **Heun R**. Cerebrospinal fluid levels of beta-amyloid(42) in patients with Alzheimer's disease are related to the exon 2 polymorphism of the cathepsin D gene.
Neuroreport. 2002;13(10): 1291-4 (Impact(2006)=2.137)

Rao ML, **Frahmert C**, **Zagorski O**. Initial serotonin transport into viable platelets and imipramine binding to platelet membranes.
J Neural Transm. 2002;109(5-6): 547-56 (Impact(2006)=2.938)

Riedel M, Krönig H, Schwarz MJ, Engel RR, **Kühn KU**, Sikorski C, Sokullu S, Ackenheil M, Möller HJ, Müller N. No association between the G308A polymorphism of the tumor necrosis factor-alpha gene and schizophrenia.
Eur Arch Psychiatry Clin Neurosci. 2002;252(5): 232-4 (Impact(2006)=3.042)

Sand PG, Mori T, Godau C, Stöber G, Flachenecker P, **Franke P**, Nöthen MM, Fritze J, **Maier W**, Lesch KP, Riederer P, Beckmann H, Deckert J. Norepinephrine transporter gene (NET) variants in patients with panic disorder.
Neurosci Lett. 2002;333(1): 41-4 (Impact(2006)=2.092)

Sand PG, Schlurmann K, Luckhaus C, Götz M, Stöber G, Lesch KP, Riederer P, **Franke P, Maier W**, Nöthen MM, Propping P, Fritze J, Deckert J. Estrogen receptor 1 gene (ESR1) variants in panic disorder.

Am J Med Genet. 2002;114(4): 426-8 (Impact(2006)=0)

Saß H, **Maier W**. Psychotische Symptome bei Persönlichkeitsstörungen. *Persönlichkeitsstörungen, Theorie und Therapie.* 2002;6: 207

Sawada K, Young CE, Barr AM, Longworth K, Takahashi S, Arango V, Mann JJ, Dwork AJ, **Falkai P**, Phillips AG, **Honer WG**. Altered immunoreactivity of complexin protein in prefrontal cortex in severe mental illness.

Mol Psychiatry. 2002;7(5): 484-92 (Impact(2006)=11.804)

Schulze TG, Chen YS, Akula N, Hennessy K, Badner JA, McInnis MG, DePaulo JR, Schumacher J, Cichon S, Propping P, **Maier W, Rietschel M**, Nöthen MM, McMahon FJ. Can long-range microsatellite data be used to predict short-range linkage disequilibrium?

Hum Mol Genet. 2002;11(12): 1363-72 (Impact(2006)=8.099)

Schulze TG, Müller DJ, Krauss H, Gross M, Fangerau-Lefèvre H, Illes F, Ohlraun S, Cichon S, Held T, Propping P, Nöthen MM, **Maier W, Rietschel M**. Further evidence for age of onset being an indicator for severity in bipolar disorder.

J Affect Disord. 2002;68(2-3): 343-5 (Impact(2006)=3.138)

Schulze TG, Treichel KC. The European Federation of Psychiatric Trainees (EFPT)--an integral part of the European harmonisation of psychiatric education and practise.

Eur Psychiatry. 2002;17(5): 300-5 (Impact(2006)=1.463)

Schumacher J, Cichon S, **Rietschel M**, Nöthen MM, Propping P. Genetik bipolar affektiver Störungen. Gegenwärtiger Stand der Arbeiten zur Identifikation von Dispositionsgen. *Nervenarzt.* 2002;73(7): 581-92; quiz 593-4 (Impact(2006)=0.711)

Schwab SG, Hallmayer J, Freimann J, Lerer B, Albus M, Borrmann-Hassenbach M, Segman RH, Trixler M, Rietschel M, Maier W, Wildenauer DB. Investigation of linkage and association/linkage disequilibrium of HLA A-, DQA1-, DQB1-, and DRB1-alleles in 69 sib-pair- and 89 trio-families with schizophrenia.

Am J Med Genet. 2002;114(3): 315-20 (Impact(2006)=0)

Silver H, Shlomo N, Hiemke C, **Rao ML**, Ritsner M, Modai I. Schizophrenic patients who smoke have a faster finger tapping rate than non-smokers.

Eur Neuropsychopharmacol. 2002;12(2): 141-4 (Impact(2006)=3.794)

Simons A, Ruppert T, Schmidt C, Schlicksupp A, Pipkorn R, Reed J, Masters CL, White AR, Cappai R, Beyreuther K, **Bayer TA**, Multhaup G. Evidence for a copper-binding superfamily of the amyloid precursor protein.

Biochemistry. 2002;41(30): 9310-20 (Impact(2006)=3.633)

Tiemeier H, Pelzer E, Jönck L, Möller HJ, **Rao ML**. Plasma catecholamines and selective slow wave sleep deprivation.

Neuropsychobiology. 2002;45(2): 81-6 (Impact(2006)=2.367)

Utsch B, **Becker K**, Brock D, Lentze MJ, Bidlingmaier F, Ludwig M. A novel stable polyalanine [poly(A)] expansion in the HOXA13 gene associated with hand-foot-genital syndrome: proper function of poly(A)-harbouring transcription factors depends on a critical repeat length?

Hum Genet. 2002;110(5): 488-94 (Impact(2006)=3.662)

Vogeley K, Bergmann A, Falkai P. Selbstkonstrukt und Schizophrenie. *Nervenheilkunde.* 2002;21(7): 344-50 (Impact(2006)=0.396)

von Bubnoff D, Matz H, **Frahnert C, Rao ML**, Hanau D, de la Salle H, Bieber T. FcepsilonRI induces the tryptophan degradation pathway involved in regulating T cell responses.
J Immunol. 2002;169(4): 1810-6 (Impact(2006)=6.293)

Wildenauer DB, Hallmayer J, **Schwab SG**. Genetics of complex psychiatric disorders: scientific foundations.
Isr J Psychiatry Relat Sci. 2002;39(4): 232-9 (Impact(2006)=0.185)

Wirths O, Multhaup G, Czech C, **Feldmann N**, Blanchard V, Tremp G, Beyreuther K, Pradier L, **Bayer TA**. Intraneuronal APP/A beta trafficking and plaque formation in beta-amyloid precursor protein and presenilin-1 transgenic mice.
Brain Pathol. 2002;12(3): 275-86 (Impact(2006)=5.274)

Yoshida T, Hashimoto K, **Zimmer A**, Maejima T, Araishi K, Kano M. The cannabinoid CB1 receptor mediates retrograde signals for depolarization-induced suppression of inhibition in cerebellar Purkinje cells.
J Neurosci. 2002;22(5): 1690-7 (Impact(2006)=7.453)

Bücher und Buchbeiträge

Illes F, Rietz C, Rudinger G, **Maier W, Rietschel M** (2002) Entwicklung und testtheoretische Absicherung eines Fragebogens zur Erfassung der Einstellung zu psychiatrisch-genetischer Untersuchung und Forschung: Der GenEthik-Fragbogen. PACE, Bonn.

Maier W (2002) Genetics of mood disorders: current status of knowledge and prospects. In: Kaschka WP (Ed.) Perspectives in affective disorders (Advances in biological psychiatry, Vol. 21). Karger, Basel (35-62).

Maier W, Falkai P, Wagner M (2002) Schizophrenia spectrum disorders: a review. In: Maj M, Sartorius N (Eds.) Evidence and experience in psychiatry, Vol. 2: Schizophrenia. 2nd ed. Wiley, Chichester (317-377).

Maier W, Heun R (2002) Genetik psychischer und somatoformer Störungen. In: Ahrens S, Schneider W (Hrsg.) Lehrbuch der Psychotherapie und Psychosomatischen Medizin. Schattauer, Stuttgart (83-96).

Maier W, Rietschel M, Linz M, Falkai P (2002) Genetics of schizophrenia and related disorders. In: Häfner H (Ed.) Risk and protective factors in schizophrenia. Towards a conceptual model of the disease process. Steinkopff, Darmstadt (9-28).

Maier W, Schwab SG, Falkai P (2002) Molekulare Psychiatrie. In: Gaebel W (Hrsg.) Zukunftsperspektiven in Psychiatrie und Psychotherapie. Steinkopff, Darmstadt (125-136).

Maier W, Schwab SG, Wildenauer DB, Wagner M, Rietschel M (2002) Molekulargenetik der Schizophrenie. In: Rosenthal A, Wahn U, Wolf H (Hrsg.) Einfluss von Genomprojekt und Pharmacogenetics auf die medizinische Entwicklung. Schattauer, Stuttgart (43-58).