

Aktuelle Publikationen von Mitarbeitern oder unter Beteiligung von Mitarbeitern der Klinik und Poliklinik für Psychiatrie und Psychotherapie im Jahr 2014

Articles, Editorial Material, Letters, News Items, Notes und Reviews

Bauer M, **Maier W**, Schneider F, Kapfhammer HP. Das neue DSM-5-Klassifikationssystem: Wesentliche Neuerungen in der psychiatrischen Klassifikation.
Nervenarzt. 2014;85(5): 531-2

Bock JO, Luppa M, Brettschneider C, Riedel-Heller S, Bickel H, Fuchs A, Gensichen J, **Maier W**, Mergenthal K, Schäfer I, Schön G, Weyerer S, Wiese B, van den Bussche H, Scherer M, König HH. Impact of depression on health care utilization and costs among multimorbid patients--from the MultiCare Cohort Study.
PLoS One. 2014;9(3): e91973

Charlet K, Beck A, Jorde A, **Wimmer L**, Vollstädter-Klein S, Gallinat J, **Walter H**, Kiefer F, Heinz A. Increased neural activity during high working memory load predicts low relapse risk in alcohol dependence.
Addict Biol. 2014;19(3): 402-14

Charlet K, Schlagenhauf F, Richter A, Naundorf K, Dornhof L, Weinfurtner CE, König F, Walaszek B, Schubert F, Müller CA, Gutwinski S, **Seissinger A**, **Schmitz L**, **Walter H**, Beck A, Gallinat J, Kiefer F, Heinz A. Neural activation during processing of aversive faces predicts treatment outcome in alcoholism.
Addict Biol. 2014;19(3): 439-51

Cohrs S, Rodenbeck A, Riemann D, Szagun B, Jaehne A, Brinkmeyer J, Gründer G, Wienker T, Diaz-Lacava A, Mobsacher A, Dahmen N, Thuerauf N, Kornhuber J, Kiefer F, Gallinat J, **Wagner M**, Kunz D, Grittner U, Winterer G. Impaired sleep quality and sleep duration in smokers-results from the German Multicenter Study on Nicotine Dependence.
Addict Biol. 2014;19(3): 486-96

Doss S, Lohmann K, Seibler P, Arns B, Klopstock T, Zühlke C, Freimann K, Winkler S, Lohnau T, Drungowski M, Nürnberg P, Wiegers K, Lohmann E, Naz S, Kasten M, Bohner G, **Ramirez A**, Endres M, Klein C. Recessive dystonia-ataxia syndrome in a Turkish family caused by a COX20 (FAM36A) mutation.
J Neurol. 2014;261(1): 207-12

Drichel D, Herold C, Lacour A, **Ramirez A**, **Jessen F**, **Maier W**, Nothen MM, Leber M, Vaitsiakhovich T, Becker T. Rare variant testing of imputed data: an analysis pipeline typified.
Hum Hered. 2014;78(3-4): 164-78

Easton AC, Lourdusamy A, Havranek M, Mizuno K, Solati J, Golub Y, Clarke TK, Vallada H, Laranjeira R, Desrivières S, Moll GH, **Mössner R**, Kornhuber J, Schumann G, Giese KP, Fernandes C, Quednow BB, Müller CP. alphaCaMKII controls the establishment of cocaine's reinforcing effects in mice and humans.
Transl Psychiatry. 2014;4: e457

Eckstein M, **Scheele D**, **Weber K**, Stoffel-Wagner B, **Maier W**, **Hurlemann R**. Oxytocin facilitates the sensation of social stress.
Hum Brain Mapp. 2014;35(9): 4741-50

Erk S, Meyer-Lindenberg A, Linden DE, Lancaster T, Mohnke S, Grimm O, Degenhardt F, Holmans P, Pocklington A, Schmierer P, Haddad L, Mühleisen TW, Mattheisen M, Witt SH, Romanczuk-Seiferth N, Tost H, Schott BH, Cichon S, Nöthen MM, Rietschel M, Heinz A, **Walter H**. Replication of brain function effects of a genome-wide supported psychiatric risk variant in the CACNA1C gene and new

multi-locus effects.

Neuroimage. 2014;94: 147-54

Erk S, Meyer-Lindenberg A, Schmierer P, Mohnke S, Grimm O, Garbusow M, Haddad L, Poehland L, Mühlleisen TW, Witt SH, Tost H, Kirsch P, Romanczuk-Seiferth N, Schott BH, Cichon S, Nöthen MM, Rietschel M, Heinz A, **Walter H**. Hippocampal and frontolimbic function as intermediate phenotype for psychosis: evidence from healthy relatives and a common risk variant in CACNA1C.

Biol Psychiatry. 2014;76(6): 466-75

Escott-Price V, Bellenguez C, Wang LS, Choi SH, Harold D, Jones L, Holmans P, Gerrish A, Vedernikov A, Richards A, DeStefano AL, Lambert JC, Ibrahim-Verbaas CA, Naj AC, Sims R, Jun G, Bis JC, Beecham GW, Grenier-Boley B, Russo G, Thornton-Wells TA, Denning N, Smith AV, Chouraki V, Thomas C, Ikram MA, Zelenika D, Vardarajan BN, Kamatani Y, Lin CF, Schmidt H, Kunkle B, Dunstan ML, Vronskaya M; United Kingdom Brain Expression Consortium, Johnson AD, Ruiz A, Bihoreau MT, Reitz C, Pasquier F, Hollingworth P, Hanon O, Fitzpatrick AL, Buxbaum JD, Campion D, Crane PK, Baldwin C, Becker T, Gudnason V, Cruchaga C, Craig D, Amin N, Berr C, Lopez OL, De Jager PL, Deramecourt V, Johnston JA, Evans D, Lovestone S, Letenneur L, Hernández I, Rubinsztein DC, Eiriksdottir G, Sleegers K, Goate AM, Fiévet N, Huettelman MJ, Gill M, Brown K, Kamboh MI, Keller L, Barberger-Gateau P, McGuinness B, Larson EB, Myers AJ, Dufouil C, Todd S, Wallon D, Love S, Rogaeva E, Gallacher J, George-Hyslop PS, Clarimon J, Lleo A, Bayer A, Tsuang DW, Yu L, Tsolaki M, Bossù P, Spalletta G, Proitsi P, Collinge J, Sorbi S, Garcia FS, Fox NC, Hardy J, Naranjo MC, Bosco P, Clarke R, Brayne C, Galimberti D, Scarpini E, Bonuccelli U, Mancuso M, Siciliano G, Moebus S, Mecocci P, Zompo MD, **Maier W**, Hampel H, Pilotto A, Frank-García A, Panza F, Solfrizzi V, Caffarra P, Naemias B, Perry W, Mayhaus M, Lannfelt L, Hakonarson H, Pichler S, Carrasquillo MM, Ingelsson M, Beekly D, Alvarez V, Zou F, Valladares O, Younkin SG, Coto E, Hamilton-Nelson KL, Gu W, Razquin C, Pastor P, Mateo I, Owen MJ, Faber KM, Jonsson PV, Combarros O, O'Donovan MC, Cantwell LB, Soininen H, Blacker D, Mead S, Mosley TH Jr, Bennett DA, Harris TB, Fratiglioni L, Holmes C, de Brujin RF, Passmore P, Montine TJ, Bettens K, Rotter JI, Brice A, Morgan K, Foroud TM, Kukull WA, Hannequin D, Powell JF, Nalls MA, Ritchie K, Lunetta KL, Kauwe JS, Boerwinkle E, Riemenschneider M, Boada M, Hiltunen M, Martin ER, Schmidt R, Rujescu D, Dartigues JF, Mayeux R, Tzourio C, Hofman A, Nöthen MM, Graff C, Psaty BM, Haines JL, Lathrop M, Pericak-Vance MA, Launer LJ, Van Broeckhoven C, Farrer LA, van Duijn CM, **Ramirez A**, Seshadri S, Schellenberg GD, Amouyel P, Williams J; Cardiovascular Health Study (CHS). Gene-wide analysis detects two new susceptibility genes for Alzheimer's disease.

PLoS One. 2014;9(6): e94661

Ettinger U, Meyhöfer I, Steffens M, **Wagner M**, Koutsouleris N. Genetics, cognition, and neurobiology of schizotypal personality: a review of the overlap with schizophrenia.

Front Psychiatry. 2014;5: 18

Ferentinos P, Rivera M, Ising M, Spain SL, Cohen-Woods S, Butler AW, Craddock N, Owen MJ, Korsznik A, Jones L, Jones I, Gill M, Rice JP, **Maier W**, Mors O, Rietschel M, Lucae S, Binder EB, Preisig M, Tozzi F, Muglia P, Breen G, Craig IW, Farmer AE, Müller-Myhsok B, McGuffin P, Lewis CM. Investigating the genetic variation underlying episodicity in major depressive disorder: suggestive evidence for a bipolar contribution.

J Affect Disord. 2014;155: 81-9

Forstner AJ, Basmanav FB, Mattheisen M, Böhmer AC, Hollegaard MV, Janson E, Strengman E, Priebe L, Degenhardt F, Hoffmann P, Herms S, **Maier W**, Mössner R, Rujescu D, Ophoff RA, Moebus S, Mortensen PB, Børglum AD, Hougaard DM, Frank J, Witt SH, Rietschel M, Zimmer A, Nöthen MM, Miró X, Cichon S. Investigation of the involvement of MIR185 and its target genes in the development of schizophrenia.

J Psychiatry Neurosci. 2014;39(6): 386-96

Freytag A, Quinzler R, Freitag M, Bickel H, Fuchs A, Hansen H, **Höfels S**, König HH, Mergenthal K, Riedel-Heller SG, Schön G, Weyerer S, Wegscheider K, Scherer M, van den Bussche H, Haefeli WE, Gensichen J. Gebrauch und potenzielle Risiken durch nicht verschreibungspflichtige Schmerzmittel. *Schmerz*. 2014;28(2): 175-82

Gaebel W, Buchkremer G, Häfner H, Klosterkötter J, **Maier W**, Wölwer W. 12 Jahre Kompetenznetz Schizophrenie: Ergebnisse und Perspektiven.
Fortschr Neurol Psychiatr. 2014;82(4): 191-202

Gaebel W, Riesbeck M, Wölwer W, Klimke A, Eickhoff M, von Wilmsdorff M, Heuser I, **Maier W**, Klosterkötter J, Falkai P, Schlösser R, Schmitt A, Riedel M, Klingberg S, Köpcke W, Ohmann C, Möller HJ. Rates and predictors of remission in first-episode schizophrenia within 1 year of antipsychotic maintenance treatment. Results of a randomized controlled trial within the German Research Network on Schizophrenia.
Schizophr Res. 2014;152(2-3): 478-86

George MS, **Schläpfer T**, Padberg F, Fitzgerald PB. Brain stimulation treatments for depression.
World J Biol Psychiatry. 2014;15(2): 167-8

Gusareva ES, Carrasquillo MM, Bellenguez C, Cuyvers E, Colon S, Graff-Radford NR, Petersen RC, Dickson DW, Mahachie John JM, Bessonov K, Van Broeckhoven C; GERAD1 Consortium, **Ramirez A**, Harold D, Williams J, Amouyel P, Sleegers K, Ertekin-Taner N, Lambert JC, Van Steen K. Genome-wide association interaction analysis for Alzheimer's disease.
Neurobiol Aging. 2014;35(11): 2436-43

Hacke W, **Maier W**, Braun C. Professor Brandt als Herausgeber verabschiedet: Prägte 25 Jahre die Zeitschrift "Der Nervenarzt".
Nervenarzt. 2014;85(6): 667-8

Haenisch B, Fröhlich H, Herms S, Molderings GJ. Evidence for contribution of epigenetic mechanisms in the pathogenesis of systemic mast cell activation disease.
Immunogenetics. 2014;66(5): 287-97

Hansen H, Schäfer I, Schön G, Riedel-Heller S, Gensichen J, Weyerer S, Petersen JJ, König HH, Bickel H, Fuchs A, **Höfels S**, Wiese B, Wegscheider K, van den Bussche H, Scherer M. Agreement between self-reported and general practitioner-reported chronic conditions among multimorbid patients in primary care - results of the MultiCare Cohort Study.
BMC Fam Pract. 2014;15: 39

Heck A, Fastenrath M, Ackermann S, Auschra B, Bickel H, Coynel D, Gschwind L, **Jessen F**, Kaduszkiewicz H, **Maier W**, Milnik A, Pentzek M, Riedel-Heller SG, Ripke S, Spalek K, Sullivan P, Vogler C, **Wagner M**, Weyerer S, **Wolfsgruber S**, de Quervain DJ, Papassotiropoulos A. Converging genetic and functional brain imaging evidence links neuronal excitability to working memory, psychiatric disease, and brain activity.
Neuron. 2014;81(5): 1203-13

Heser K, Wagner M, Wiese B, Prokein J, Ernst A, König HH, Brettschneider C, Riedel-Heller SG, Luppa M, Weyerer S, Eifflaender-Gorfer S, Bickel H, Mösch E, Pentzek M, Fuchs A, **Maier W**, Scherer M, Eisele M; **AgeCoDe Study Group**. Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support.
Dement Geriatr Cogn Dis Extra. 2014;4(3): 481-93

Hodgson K, Tansey K, Dernovsek MZ, Hauser J, Henigsberg N, **Maier W**, Mors O, Placentino A, Rietschel M, Souery D, Smith R, Craig IW, Farmer AE, Aitchison KJ, Belsky S, Davis OS, Uher R, McGuffin P. Genetic differences in cytochrome P450 enzymes and antidepressant treatment response.
J Psychopharmacol. 2014;28(2): 133-41

Hodgson K, Uher R, Crawford AA, Lewis G, O'Donovan MC, Keers R, Dernovsek MZ, Mors O, Hauser J, Souery D, **Maier W**, Henigsberg N, Rietschel M, Placentino A, Aitchison K, Farmer A, Davis OS, McGuffin P. Genetic predictors of antidepressant side effects: a grouped candidate gene approach in the Genome-Based Therapeutic Drugs for Depression (GENDEP) study.
J Psychopharmacol. 2014;28(2): 142-50

Hooli BV, Parrado AR, Mullin K, Yip WK, Liu T, Roehr JT, Qiao D, **Jessen F**, Peters O, Becker T, **Ramirez A**, Lange C, Bertram L, Tanzi RE. The rare TREM2 R47H variant exerts only a modest effect on Alzheimer disease risk.
Neurology. 2014;83(15): 1353-8

Hoppe C, Splitstoer C, **Fliessbach K**, Trautner P, Elger CE, Weber B. Silent music reading: auditory imagery and visuotonal modality transfer in singers and non-singers.
Brain Cogn. 2014;91: 35-44

Huber M, Blumberg A, Chatterjee S, **Haenisch B**, Schlosser-Weber G, Broich K. Arzneimittelsicherheit: Herausforderung in einer alternden Gesellschaft.
Nervenarzt. 2014;85(11): 1352-62

Hung CF, Rivera M, Craddock N, Owen MJ, Gill M, Korszun A, **Maier W**, Mors O, Preisig M, Rice JP, Rietschel M, Jones L, Middleton L, Aitchison KJ, Davis OS, Breen G, Lewis C, Farmer A, McGuffin P. Relationship between obesity and the risk of clinically significant depression: Mendelian randomisation study.
Br J Psychiatry. 2014;205(1): 24-8

Jacobi F, Hoefer M, Siegert J, Mack S, Gerschler A, Scholl L, Busch MA, Hapke U, Maske U, Seiffert I, Gaebel W, **Maier W**, **Wagner M**, Zielasek J, Wittchen HU. Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH).
Int J Methods Psychiatr Res. 2014;23(3): 304-19

Jacobi F, Hoefer M, Strehle J, Mack S, Gerschler A, Scholl L, Busch MA, Maske U, Hapke U, Gaebel W, **Maier W**, **Wagner M**, Zielasek J, Wittchen HU. Psychische Störungen in der Allgemeinbevölkerung: Studie zur Gesundheit Erwachsener in Deutschland und ihr Zusatzmodul Psychische Gesundheit (DEGS1-MH).
Nervenarzt. 2014;85(1): 77-87

Jamain S, Cichon S, Etain B, Mühleisen TW, **Georgi A**, Zidane N, Chevallier L, Deshommes J, Nicolas A, Henrion A, Degenhardt F, Mattheisen M, Priebe L, Mathieu F, Kahn JP, Henry C, Boland A, Zelenika D, Gut I, Heath S, Lathrop M, **Maier W**, Albus M, **Rietschel M**, Schulze TG, McMahon FJ, Kelsoe JR, Hamshere M, Craddock N, Nöthen MM, Bellivier F, Leboyer M. Common and rare variant analysis in early-onset bipolar disorder vulnerability.
PLoS One. 2014;9(8): e104326

Jessen F. "Mild neurocognitive disorder" - eine Erkrankung? Pro.
Nervenarzt. 2014;85(5): 630-1

Jessen F. Therapy for patients with dementia. Treatment strategies in the elderly.
Internist (Berl). 2014;55(7): 769-74

Jessen F, Amariglio RE, van Boxtel M, Breteler M, Ceccaldi M, Chételat G, Dubois B, Dufouil C, Ellis KA, van der Flier WM, Glodzik L, van Harten AC, de Leon MJ, McHugh P, Mielke MM, Molinuevo JL, Mosconi L, Osorio RS, Perrotin A, Petersen RC, Rabin LA, Rami L, Reisberg B, Rentz DM, Sachdev PS, de la Sayette V, Saykin AJ, Scheltens P, Shulman MB, Slavin MJ, Sperling RA, Stewart R, Uspenskaya O, Vellas B, Visser PJ, **Wagner M**, Subjective Cognitive Decline Initiative (SCD-I) Working Group. A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease.
Alzheimers Dement. 2014;10(6): 844-52

Jessen F, Dodel R. Prädiktion der Alzheimer-Demenz.
Nervenarzt. 2014;85(10): 1233-7

Jessen F, **Wolfsgruber S**, Wiese B, Bickel H, Mösch E, Kaduszkiewicz H, Pentzek M, Riedel-Heller SG, Luck T, Fuchs A, Weyerer S, Werle J, van den Bussche H, Scherer M, **Maier W**, **Wagner M**, German Study on Aging, Cognition and Dementia in Primary Care Patients, Abholz HH, Bachmann C,

Blank W, Eifflaender-Gorfer S, Eisele M, Ernst A, **Heser K**, Kaufeler T, Köhler M, König HH, **Koppara A**, Lange C, Leicht H, Lappa M, Mayer M, Olbrich J, Prokein J, **Schumacher A**, Stein J, Steinmann S, **Tebarth F**, Weckbecker K, Weeg D, Zimmermann T. AD dementia risk in late MCI, in early MCI, and in subjective memory impairment.

Alzheimers Dement. 2014;10(1): 76-83

Juraeva D, Haenisch B, Zapatka M, Frank J; GROUP Investigators; PSYCH-GEMS SCZ Working Group, Witt SH, Mühlleisen TW, Treutlein J, Strohmaier J, Meier S, Degenhardt F, Giegling I, Ripke S, Leber M, Lange C, Schulze TG, **Mössner R**, Nenadic I, Sauer H, Rujescu D, **Maier W**, Børglum A, Ophoff R, Cichon S, Nöthen MM, Rietschel M, Mattheisen M, Brors B. Integrated pathway-based approach identifies association between genomic regions at CTCF and CACNB2 and schizophrenia. *PLoS Genet.* 2014;10(6): e1004345

Kaduszkiewicz H, Eisele M, Wiese B, Prokein J, Lappa M, Luck T, **Jessen F**, Bickel H, Mösch E, Pentzek M, Fuchs A, Eifflaender-Gorfer S, Weyerer S, König HH, Brettschneider C, van den Bussche H, **Maier W**, Scherer M, Riedel-Heller SG; **Study on Aging, Cognition, and Dementia in Primary Care Patients (AgeCoDe) Study Group**. Prognosis of mild cognitive impairment in general practice: results of the German AgeCoDe study.

Ann Fam Med. 2014;12(2): 158-65

Kaut O, **Ramirez A**, Pieper H, Schmitt I, **Jessen F**, Wüllner U. DNA methylation of the TNF- α promoter region in peripheral blood monocytes and the cortex of human Alzheimer's disease patients. *Dement Geriatr Cogn Disord.* 2014;38(1-2): 10-5

Klein JP, **Becker B**, **Hurlemann R**, Scheibe C, Colla M, Heuser I. Effect of specific psychotherapy for chronic depression on neural responses to emotional faces.

J Affect Disord. 2014;166: 93-7

Kleinberger G, Yamanishi Y, Suárez-Calvet M, Czirr E, Lohmann E, Cuyvers E, Struyfs H, Pettkus N, Wenninger-Weinzierl A, Mazaheri F, Tahirovic S, Lleó A, Alcolea D, Fortea J, Willem M, Lammich S, Molinuevo JL, Sánchez-Valle R, Antonell A, **Ramirez A**, Heneka MT, Sleegers K, van der Zee J, Martin JJ, Engelborghs S, Demirtas-Tatlidide A, Zetterberg H, Van Broeckhoven C, Gurvit H, Wyss-Coray T, Hardy J, Colonna M, Haass C. TREM2 mutations implicated in neurodegeneration impair cell surface transport and phagocytosis.

Sci Transl Med. 2014;6(243): 243ra86

König HH, Leicht H, Brettschneider C, Bachmann C, Bickel H, Fuchs A, **Jessen F**, Köhler M, Lappa M, Mösch E, Pentzek M, Werle J, Weyerer S, Wiese B, Scherer M, **Maier W**, Riedel-Heller SG; **AgeCoDe Study Group**. The costs of dementia from the societal perspective: is care provided in the community really cheaper than nursing home care?

J Am Med Dir Assoc. 2014;15(2): 117-26

Konnopka A, Stuhldreher N, Klingberg S, Wittorf A, Bechdolf A, Müller BW, Sartory G, **Wagner M**, Wiedemann G, Wölwer W, Heinrich S, König HH. Determinanten direkter Kosten bei persistierender Positivsymptomatik psychotischer Erkrankungen.

Psychiatr Prax. 2014;41(4): 215-20

Kullmann S, Giel KE, **Hu X**, Bischoff SC, Teufel M, Thiel A, Zipfel S, Preissl H. Impaired inhibitory control in anorexia nervosa elicited by physical activity stimuli.

Soc Cogn Affect Neurosci. 2014;9(7): 917-23

Krug A, Cabanis M, Pyka M, Pauly K, Kellermann T, Walter H, **Wagner M**, **Landsberg M**, Shah NJ, Winterer G, Wölwer W, Brinkmeyer J, Müller BW, Kärgel C, Wiedemann G, Herrlich J, Vogeley K, Schilbach L, Rapp A, Klingberg S, Kircher T. Attenuated prefrontal activation during decision-making under uncertainty in schizophrenia: a multi-center fMRI study.

Schizophr Res. 2014;152(1): 176-83

Lallement JH, Kuss K, Trautner P, Weber B, Falk A, **Fliessbach K**. Effort increases sensitivity to reward and loss magnitude in the human brain.
Soc Cogn Affect Neurosci. 2014;9(3): 342-9

Lennertz L, Wagner M, Grabe HJ, Franke PE, Guttenthaler V, Rampacher F, Schulze-Rauschenbach S, Vogeley A, Benninghoff J, Ruhrmann S, Pukrop R, Klosterkötter J, Falkai P, Maier W, Mössner R. 5-HT3 receptor influences the washing phenotype and visual organization in obsessive-compulsive disorder supporting 5-HT3 receptor antagonists as novel treatment option.
Eur Neuropsychopharmacol. 2014;24(1): 86-94

Li M, Luo XJ, **Rietschel M**, Lewis CM, Mattheisen M, Müller-Myhsok B, Jamain S, Leboyer M, Landén M, Thompson PM, Cichon S, Nöthen MM, Schulze TG, Sullivan PF, Bergen SE, Donohoe G, Morris DW, Hargreaves A, Gill M, Corvin A, Hultman C, Toga AW, Shi L, Lin Q, Shi H, Gan L, Meyer-Lindenberg A, Czamara D, Henry C, Etain B, Bis JC, Ikram MA, Fornage M, Debette S, Launer LJ, Seshadri S, Erk S, **Walter H**, Heinz A, Bellivier F, Stein JL, Medland SE, Arias Vasquez A, Hibar DP, Franke B, Martin NG, Wright MJ; MooDS Bipolar Consortium, Strohmaier J, Breuer R, Meier S, Mühlleisen TW, Degenhardt FA, Hoffmann P, Herms S, Schwarz M, Vedder H, Kammerer-Ciernioch J, Reif A, Sasse J, Bauer M, Zwick S, Hautzinger M, Wright A, Mitchell PB, Fullerton JM, Schofield PR, Montgomery GW, Martin NG, Czerski PM, Hauser J, Schumacher J, **Maier W**, Propping P; The Swedish Bipolar Study Group, Backlund L, Frisén L, Lavebratt C, Schalling M, Osby U; The Alzheimer's Disease Neuroimaging Initiative; ENIGMA Consortium; CHARGE Consortium, Su B. Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility.
Mol Psychiatry. 2014;19(4): 452-61

Liu G, Yao L, Liu J, Jiang Y, Ma G; **Genetic and Environmental Risk for Alzheimer's disease (GERAD1) Consortium**, Chen Z, Zhao B, Li K. Cardiovascular disease contributes to Alzheimer's disease: evidence from large-scale genome-wide association studies.
Neurobiol Aging. 2014;35(4): 786-92

Luck T, Riedel-Heller SG, Luppia M, Wiese B, Bachmann C, **Jessen F**, Bickel H, Weyerer S, Pentzek M, König HH, Prokein J, Eisele M, **Wagner M**, Mösch E, Werle J, Fuchs A, Brettschneider C, Scherer M, Breitner JC, **Maier W**. A hierarchy of predictors for dementia-free survival in old-age: results of the AgeCoDe study.
Acta Psychiatr Scand. 2014;129(1): 63-72

Luck T, Riedel-Heller SG, Luppia M, Wiese B, Köhler M, **Jessen F**, Bickel H, Weyerer S, Pentzek M, König HH, Prokein J, Ernst A, **Wagner M**, Mösch E, Werle J, Fuchs A, Brettschneider C, Scherer M, **Maier W**. Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of gene-environment interaction for the risk of dementia and Alzheimer's disease dementia.
Psychol Med. 2014;44(6): 1319-29

Lueken U, Stankevich Y, Goschke T, **Schläpfer TE**, Koy J, Reichmann H, Storch A, Wolz M. Einfluss der Tiefen Hirnstimulation des Nucleus subthalamicus auf exekutive Funktionen bei Patienten mit idiopathischem Parkinson-Syndrom unter Berücksichtigung von Apathie, Depressivität und Stimmung.
Fortschr Neurol Psychiatr. 2014;82(7): 386-93

Luo XJ, Li M, Huang L, Steinberg S, Mattheisen M, Liang G, Donohoe G, Shi Y, Chen C, Yue W, Alkelai A, Lerer B, Li Z, Yi Q, Rietschel M, Cichon S, Collier DA, Tosato S, Suvisaari J, Rujescu D, Golimbet V, Silagadze T, Durmishi N, Milovancevic MP, Stefansson H, Schulze TG, Nöthen MM, Chen C, Lyne R, Morris DW, Gill M, Corvin A, Zhang D, Dong Q, Moyzis RK, Stefansson K, Sigurdsson E, Hu F; MooDS SCZ Consortium: Su B, Gan L, Strohmaier J, Meier S, Frank J, Witt SH, Degenhardt FA, Forstner AJ, Basmanav BF, Propping P, Mattheisen M, Lange C, Leber M, Schulze TG, Schultz C, Schlösser RG, Nenadic I, Sauer H, **Mössner R, Maier W**, Giegling I, Rujescu D, Mueller-Myhsok B, Cichon S, Noethen MM, Rietschel M. Convergent lines of evidence support CAMKK2 as a schizophrenia susceptibility gene.
Mol Psychiatry. 2014;19(7): 774-83

Mack S, Jacobi F, Gerschler A, Strehle J, Höfler M, Busch MA, Maske UE, Hapke U, Seiffert I, Gaebel W, Zielasek J, **Maier W**, Wittchen HU. Self-reported utilization of mental health services in the adult

German population--evidence for unmet needs? Results of the DEGS1-Mental Health Module (DEGS1-MH).

Int J Methods Psychiatr Res. 2014;23(3): 289-303

Maier W. Herausforderungen durch den demographischen Wandel: Psychische Erkrankungen heute und morgen.

Nervenarzt. 2014;85(11): 1343-4

Maier W. Neurokognitive Störungen im DSM-5: Durchgreifende Änderungen in der Demenzdiagnostik.

Nervenarzt. 2014;85(5): 564-70

Maier W, Falkai P, Schmitt A. Selected issues of the DGPPN Congress in 2013.

Eur Arch Psychiatry Clin Neurosci. 2014;264 Suppl 1: S1-2

Maier W, Oertel W. Prädiktion neurologischer und psychiatrischer Erkrankungen.

Nervenarzt. 2014;85(10): 1231-2

Markowitz A, Blaszkiewicz K, Montag C, **Switala C, Schläpfer TE.** Psycho-informatics: Big Data shaping modern psychometrics.

Med Hypotheses. 2014;82(4): 405-11

McGrath LM, Yu D, Marshall C, Davis LK, Thiruvahindrapuram B, Li B, Cappi C, Gerber G, Wolf A, Schroeder FA, Osiecki L, O'Dushlaine C, Kirby A, Illmann C, Haddad S, Gallagher P, Fagerness JA, Barr CL, Bellodi L, Benarroch F, Bienvenu OJ, Black DW, Bloch MH, Bruun RD, Budman CL, Camarena B, Cath DC, Cavallini MC, Chouinard S, Coric V, Cullen B, Delorme R, Denys D, Derkx EM, Dion Y, Rosário MC, Eapen V, Evans P, Falkai P, Fernandez TV, Garrido H, Geller D, Grabe HJ, Grados MA, Greenberg BD, Gross-Tsur V, Grünblatt E, Heiman GA, Hemmings SM, Herrera LD, Hounie AG, Jankovic J, Kennedy JL, King RA, Kurian R, Lanzagorta N, Leboyer M, Leckman JF, **Lennertz L,** Lochner C, Lowe TL, Lyon GJ, Maciardi F, **Maier W,** McCracken JT, McMahon W, Murphy DL, Naarden AL, Neale BM, Nurmi E, Pakstis AJ, Pato MT, Pato CN, Piacentini J, Pittenger C, Pollak Y, Reus VI, Richter MA, Riddle M, Robertson MM, Rosenberg D, Rouleau GA, Ruhrmann S, Sampaio AS, Samuels J, Sandor P, Sheppard B, Singer HS, Smit JH, Stein DJ, Tischfield JA, Vallada H, Veenstra-VanderWeele J, Walitzka S, Wang Y, Wendland JR, Shugart YY, Miguel EC, Nicolini H, Oostra BA, **Mössner R, Wagner M,** Ruiz-Linares A, Heutink P, Nestadt G, Freimer N, Petryshen T, Posthuma D, Jenike MA, Cox NJ, Hanna GL, Brentani H, Scherer SW, Arnold PD, Stewart SE, Mathews CA, Knowles JA, Cook EH, Pauls DL, Wang K, Scharf JM. Copy number variation in obsessive-compulsive disorder and tourette syndrome: a cross-disorder study.

J Am Acad Child Adolesc Psychiatry. 2014;53(8): 910-9

Medway C, Combarros O, Cortina-Borja M, Butler HT, Ibrahim-Verbaas CA, de Brujin RF, Koudstaal PJ, van Duijn CM, Ikram MA, Mateo I, Sánchez-Juan P, Lehmann MG, **Heun R, Kölsch H,** Deloukas P, Hammond N, Coto E, Alvarez V, Kehoe PG, Barber R, Wilcock GK, Brown K, Belbin O, Warden DR, Smith AD, Morgan K, Lehmann DJ. The sex-specific associations of the aromatase gene with Alzheimer's disease and its interaction with IL10 in the Epistasis Project.

Eur J Hum Genet. 2014;22(2): 216-20

Mehl S, Landsberg MW, Schmidt AC, Cabanis M, Bechdolf A, Herrlich J, Loos-Jankowiak S, Kircher T, Kiszenow S, Klingberg S, Kommescher M, Moritz S, Müller BW, Sartory G, Wiedemann G, Wittorf A, Wölwer W, **Wagner M.** Why do bad things happen to me? Attributional style, depressed mood, and persecutory delusions in patients with schizophrenia.

Schizophr Bull. 2014;40(6): 1338-46

Mohnke S, Erk S, Schnell K, **Schütz C,** Romanczuk-Seiferth N, Grimm O, Haddad L, Pöhland L, Garbusow M, Schmitgen MM, Kirsch P, Esslinger C, Rietschel M, Witt SH, Nöthen MM, Cichon S, Mattheisen M, Mühlleisen T, Jensen J, Schott BH, **Maier W,** Heinz A, Meyer-Lindenberg A, **Walter H.** Further evidence for the impact of a genome-wide-supported psychosis risk variant in ZNF804A on the Theory of Mind Network.

Neuropsychopharmacology. 2014;39(5): 1196-205

Morgen K, **Ramirez A**, Frölich L, Tost H, Plichta MM, Kölsch H, Rakebrandt F, Rienhoff O, **Jessen F**, Peters O, Jahn H, Luckhaus C, Hüll M, Gertz HJ, Schröder J, Hampel H, Teipel SJ, Pantel J, Heuser I, Wiltfang J, Rüther E, Kornhuber J, **Maier W**, Meyer-Lindenberg A. Genetic interaction of PICALM and APOE is associated with brain atrophy and cognitive impairment in Alzheimer's disease. *Alzheimers Dement.* 2014;10(5 Suppl): S269-76

Mühleisen TW, Leber M, Schulze TG, Strohmaier J, Degenhardt F, Treutlein J, Mattheisen M, Forstner AJ, Schumacher J, Breuer R, Meier S, Herms S, Hoffmann P, Lacour A, Witt SH, Reif A, Müller-Myhsok B, Lucae S, **Maier W**, Schwarz M, Vedder H, Kammerer-Ciernioch J, Pfennig A, Bauer M, Hautzinger M, Moebus S, Priebe L, Czerski PM, Hauser J, Lissowska J, Szczesniak-Dabrowska N, Brennan P, McKay JD, Wright A, Mitchell PB, Fullerton JM, Schofield PR, Montgomery GW, Medland SE, Gordon SD, Martin NG, Krasnow V, Chuchalin A, Babadjanova G, Pantelejeva G, Abramova LI, Tiganov AS, Polonikov A, Khusnutdinova E, Alda M, Grof P, Rouleau GA, Turecki G, Laprise C, Rivas F, Mayoral F, Kogevinas M, Grigoroiu-Serbanescu M, Propping P, Becker T, Rietschel M, Nöthen MM, Cichon S. Genome-wide association study reveals two new risk loci for bipolar disorder. *Nat Commun.* 2014;5: 3339

Mullins N, Hodgson K, Tansey KE, Perroud N, **Maier W**, Mors O, **Rietschel M**, Hauser J, Henigsberg N, Souery D, Aitchison K, Farmer A, McGuffin P, Breen G, Uher R, Lewis CM. Investigation of blood mRNA biomarkers for suicidality in an independent sample. *Transl Psychiatry.* 2014;4: e474

Mullins N, Perroud N, Uher R, Butler AW, Cohen-Woods S, Rivera M, Malki K, Euesden J, Power RA, Tansey KE, Jones L, Jones I, Craddock N, Owen MJ, Korszun A, Gill M, Mors O, Preisig M, **Maier W**, **Rietschel M**, Rice JP, Muller-Myhsok B, Binder EB, Lucae S, Ising M, Craig IW, Farmer AE, McGuffin P, Breen G, Lewis CM. Genetic Relationships Between Suicide Attempts, Suicidal Ideation and Major Psychiatric Disorders: A Genome-Wide Association and Polygenic Scoring Study. *Am J Med Genet B Neuropsychiatr Genet.* 2014;165(5): 428-37

Nützel A, Dahlhaus A, Fuchs A, Gensichen J, König HH, Riedel-Heller S, **Maier W**, Schäfer I, Schön G, Weyerer S, Wiese B, Scherer M, van den Bussche H, Bickel H. Self-rated health in multimorbid older general practice patients: a cross-sectional study in Germany. *BMC Fam Pract.* 2014;15: 1

Nuttin B, Wu H, Mayberg H, Hariz M, Gabriëls L, Galert T, Merkel R, Kubu C, Vilela-Filho O, Matthews K, Taira T, Lozano AM, Schechtman G, Doshi P, Broggi G, Régis J, Alkhani A, Sun B, Eljamel S, Schulder M, Kaplitt M, Eskandar E, Rezai A, Krauss JK, Hilven P, Schuurman R, Ruiz P, Chang JW, Cosyns P, Lipsman N, Voges J, Cosgrove R, Li Y, **Schläpfer T**. Consensus on guidelines for stereotactic neurosurgery for psychiatric disorders. *J Neurol Neurosurg Psychiatry.* 2014;85(9): 1003-8

Paslakis G, Träber F, Roberz J, Block W, **Jessen F**. N-acetyl-aspartate (NAA) as a correlate of pharmacological treatment in psychiatric disorders: a systematic review. *Eur Neuropsychopharmacol.* 2014;24(10): 1659-75

Peter J, Scheef L, Abdulkadir A, Boecker H, Heneka M, **Wagner M**, **Koppara A**, Klöppel S, **Jessen F**; Alzheimer's Disease Neuroimaging Initiative. Gray matter atrophy pattern in elderly with subjective memory impairment. *Alzheimers Dement.* 2014;10(1): 99-108

Petersen JJ, Paulitsch MA, Mergenthal K, Gensichen J, Hansen H, Weyerer S, Riedel-Heller SG, Fuchs A, **Maier W**, Bickel H, König HH, Wiese B, van den Bussche H, Scherer M, Dahlhaus A, MultiCare Study Group, Altiner A, Bickel H, Blank W, Bullinger M, van den Bussche H, Dahlhaus A, Ehreke L, Freitag M, Fuchs A, Gensichen J, Gerlach F, Hansen H, Heinrich S, **Höfels S**, von dem Knesebeck O, König HH, Krause N, Leicht H, Lappa M, **Maier W**, Mayer M, Mellert C, Mergenthal K, Nützel A, Paschke T, Petersen JJ, Prokein J, Riedel-Heller S, Romberg HP, Schäfer I, Scherer M, Schön G, Steinmann S, Schulz S, Wegscheider K, Weckbecker K, Werle J, Weyerer S, Wiese B, Zieger M. Implementation of chronic illness care in German primary care practices--how do multimorbid older patients view routine care? A cross-sectional study using multilevel hierarchical

modeling.

BMC Health Serv Res. 2014;14: 336

Petrovsky N, Ettinger U, Hill A, Frenzel L, Meyhöfer I, **Wagner M**, Backhaus J, Kumari V. Sleep deprivation disrupts prepulse inhibition and induces psychosis-like symptoms in healthy humans. *J Neurosci*. 2014;34(27): 9134-40

Preckel K, Scheele D, Kendrick KM, Maier W, Hurlemann R. Oxytocin facilitates social approach behavior in women.

Front Behav Neurosci. 2014;8: 191

Ramirez A, van der Flier WM, Herold C, Ramonet D, Heilmann S, Lewczuk P, Popp J, Lacour A, Drichel D, Louwersheimer E, Kummer MP, Cruchaga C, Hoffmann P, Teunissen C, Holstege H, Kornhuber J, Peters O, Naj AC, Chouraki V, Bellenguez C, Gerrish A; International Genomics of Alzheimer's Project (IGAP); Alzheimer's Disease Neuroimaging Initiative (ADNI), Heun R, Frölich L, Hüll M, Buscemi L, Herms S, Kölsch H, Scheltens P, Breteler MM, Rüther E, Wiltfang J, Goate A, Jessen F, Maier W, Heneka MT, Becker T, Nöthen MM. SUCLG2 identified as both a determinator of CSF A β 1-42 levels and an attenuator of cognitive decline in Alzheimer's disease. *Hum Mol Genet*. 2014;23(24): 6644-58

Ripke S, Neale BM, Corvin A, Walters JTR, Farh KH, Holmans PA, Lee P, Bulik-Sullivan B, Collier DA, Huang HL, Pers TH, Agartz I, Agerbo E, Albus M, Alexander M, Amin F, Bacanu SA, Begemann M, Belliveau RA, Bene J, Bergen SE, Bevilacqua E, Bigdely TB, Black DW, Bruggeman R, Buccola NG, Buckner RL, Byerley W, Cahn W, Cai GQ, Campion D, Cantor RM, Carr VJ, Carrera N, Catts SV, Chambert KD, Chan RCK, Chen RYL, Chen EYH, Cheng W, Cheung EFC, Chong SA, Cloninger CR, Cohen D, Cohen N, Cormican P, Craddock N, Crowley JJ, Curtis D, Davidson M, Davis KL, Degenhardt F, Del Favero J, Demontis D, Dikeos D, Dinan T, Djurovic S, Donohoe G, Drapeau E, Duan J, Dudbridge F, Durmishi N, Eichhammer P, Eriksson J, Escott-Price V, Essioux L, Fanous AH, Farrell MS, Frank J, Franke L, Freedman R, Freimer NB, Friedl M, Friedman JI, Fromer M, Genovese G, Georgieva L, Giegling I, Giusti-Rodriguez P, Godard S, Goldstein JI, Golimbet V, Gopal S, Gratten J, de Haan L, Hammer C, Hamshere ML, Hansen M, Hansen T, Haroutunian V, Hartmann AM, Henskens FA, Herms S, Hirschhorn JN, Hoffmann P, Hofman A, Hollegaard MV, Hougaard DM, Ikeda M, Joa I, Julia A, Kahn RS, Kalaydjieva L, Karachanak-Yankova S, Karjalainen J, Kavanagh D, Keller MC, Kennedy JL, Khrunin A, Kim Y, Klovins J, Knowles JA, Konte B, Kucinskas V, Kucinskiene ZA, Kuzelova-Ptackova H, Kahler AK, Laurent C, Keong JLC, Lee SH, Legge SE, Lerer B, Li MX, Li T, Liang KY, Lieberman J, Limborska S, Loughland CM, Lubinski J, Lonnqvist J, Macek M, Magnusson PKE, Maher BS, **Maier W**, Mallet J, Marsal S, Mattheisen M, Mattingsdal M, McCarley RW, McDonald C, McIntosh AM, Meier S, Meijer CJ, Melegh B, Melle I, Mesholam-Gately RI, Metspalu A, Michie PT, Milani L, Milanova V, Mokrab Y, Morris DW, Mors O, Murphy KC, Murray RM, Myint-Germeys I, Muller-Myhsok B, Nelis M, Nenadic I, Nertney DA, Nestadt G, Nicodemus KK, Nikitina-Zake L, Nisenbaum L, Nordin A, O'Callaghan E, ODushlaine C, ONeill FA, Oh SY, Olincy A, Olsen L, Van Os J, Pantelis C, Papadimitriou GN, Papiol S, Parkhomenko E, Pato MT, Paunio T, Pejovic-Milovancevic M, Perkins DO, Pietilainen O, Pimm J, Pocklington AJ, Powell J, Price A, Pulver AE, Purcell SM, Quested D, Rasmussen HB, Reichenberg A, Reimers MA, Richards AL, Roffman JL, Roussos P, Ruderfer DM, Salomaa V, Sanders AR, Schall U, Schubert CR, Schulze TG, Schwab SG, Scolnick EM, Scott RJ, Seidman LJ, Shi JX, Sigurdsson E, Silagadze T, Silverman JM, Sim K, Slominsky P, Smoller JW, So HC, Spencer CCA, Stahl EA, Stefansson H, Steinberg S, Stogmann E, Straub RE, Strengman E, Strohmaier J, Stroup TS, Subramaniam M, Suvisaari J, Svrakic DM, Szatkiewicz JP, Soderman E, Thirumalai S, Toncheva D, Tosato S, Veijola J, Waddington J, Walsh D, Wang D, Wang Q, Webb BT, Weiser M, Wildenauer DB, Williams NM, Williams S, Witt SH, Wolen AR, Wong EHM, Wormley BK, Xi HS, Zai CC, Zheng XB, Zimprich F, Wray NR, Stefansson K, Visscher PM, Adolfsson R, Andreassen OA, Blackwood DHR, Bramon E, Buxbaum JD, Borglum AD, Cichon S, Darvasi A, Domenici E, Ehrenreich H, Esko T, Gejman PV, Gill M, Gurling H, Hultman CM, Iwata N, Jablensky AV, Jonsson EG, Kendler KS, Kirov G, Knight J, Lencz T, Levinson DF, Li QQS, Liu JJ, Malhotra AK, McCarroll SA, McQuillin A, Moran JL, Mortensen PB, Mowry BJ, Nöthen MM, Ophoff RA, Owen MJ, Palotie A, Pato CN, Petryshen TL, Posthuma D, Rietschel M, Riley BP, Rujescu D, Sham PC, Sklar P, St Clair D, Weinberger DR, Wendland JR, Werge T, Daly MJ, Sullivan PF, O'Donovan MC, Psychiat Genomics Consortium, Psychosis Endophenotypes Int Conso, Wellcome Trust Case-Control Consortium. Biological insights from 108 schizophrenia-associated genetic loci. *Nature*. 2014;511(7510): 421-7

Roeske S, Fillia I, Heim S, Amunts K, Helmstaedter C, Wüllner U, **Wagner M**, Klockgether T, Minnerop M. Reply to: Cognitive dysfunction in spinocerebellar atrophy type 3: variable topographies and patterns.

Mov Disord. 2014;29(1): 157-8

Ruiz A, Heilmann S, Becker T, Hernández I, **Wagner H**, **Thelen M**, Mauleón A, Rosende-Roca M, Bellenguez C, Bis JC, Harold D, Gerrish A, Sims R, Sotolongo-Grau O, Espinosa A, Alegret M, Arrieta JL, Lacour A, Leber M, **Becker J**, Lafuente A, Ruiz S, Vargas L, Rodríguez O, Ortega G, Dominguez MA, IGAP, Mayeux R, Haines JL, Pericak-Vance MA, Farrer LA, Schellenberg GD, Chouraki V, Launer LJ, van Duijn C, Seshadri S, Antúnez C, Breteler MM, Serrano-Ríos M, **Jessen F**, Tárraga L, Nöthen MM, **Maier W**, Boada M, **Ramirez A**, Ruiz A, Heilmann S, Becker T, Hernández I, **Wagner H**, **Thelen M**, Mauleón A, Rosende-Roca M, Bellenguez C, Bis JC, Harold D, Gerrish A, Sims R, Sotolongo-Grau O, Espinosa A, Alegret M, Arrieta JL, Lacour A, Leber M, **Becker J**, Lafuente A, Ruiz S, Vargas L, Rodríguez O, Ortega G, Dominguez MA, Mayeux R, Haines JL, Pericak-Vance MA, Farrer LA, Schellenberg GD, Chouraki V, Launer LJ, van Duijn C, Seshadri S, Antúnez C, Breteler MM, Serrano-Ríos M, **Jessen F**, Tárraga L, Nöthen MM, **Maier W**, Boada M, **Ramirez A**. Follow-up of loci from the International Genomics of Alzheimer's Disease Project identifies TRIP4 as a novel susceptibility gene.

Transl Psychiatry. 2014;4: e358

Scheele D, Kendrick KM, **Khoury C**, **Kretzer E**, **Schläpfer TE**, Stoffel-Wagner B, Güntürkün O, **Maier W**, **Hurlemann R**. An oxytocin-induced facilitation of neural and emotional responses to social touch correlates inversely with autism traits.

Neuropsychopharmacology. 2014;39(9): 2078-85

Scheele D, **Striepens N**, Kendrick KM, **Schwering C**, **Noelle J**, **Wille A**, **Schläpfer TE**, **Maier W**, **Hurlemann R**. Opposing effects of oxytocin on moral judgment in males and females.

Hum Brain Mapp. 2014;35(12): 6067-76

Schläpfer TE. Tiefe Hirnstimulation als mögliche Alternative bei therapieresistenten Depressionen.

Nervenarzt. 2014;85(2): 156-61

Schläpfer TE, **Bewernick BH**. Neuromodulation for treatment resistant depression: state of the art and recommendations for clinical and scientific conduct.

Brain Topogr. 2014;27(1): 12-9

Schläpfer TE, **Bewernick BH**, **Kayser S**, **Hurlemann R**, Coenen VA. Deep brain stimulation of the human reward system for major depression--rationale, outcomes and outlook.

Neuropsychopharmacology. 2014;39(6): 1303-14

Schläpfer TE, **Kayser S**. Tiefe Hirnstimulation bei therapieresistenter Depression.

Klin Neurophysiol. 2014;45(2): 113-7

Schläpfer T, Volkmann J, Deuschl G. Tiefe Hirnstimulation in Neurologie und Psychiatrie.

Nervenarzt. 2014;85(2): 135-6

Schoepf D, **Heun R**. Bipolar disorder and comorbidity: Increased prevalence and increased relevance of comorbidity for hospital-based mortality during a 12.5-year observation period in general hospital admissions.

J Affect Disord. 2014;169: 170-8

Schoepf D, Uppal H, Potluri R, Chandran S, **Heun R**. Comorbidity and its relevance on general hospital based mortality in major depressive disorder: a naturalistic 12-year follow-up in general hospital admissions.

J Psychiatr Res. 2014;52: 28-35

Schoepf D, Uppal H, Potluri R, Heun R. Physical comorbidity and its relevance on mortality in schizophrenia: a naturalistic 12-year follow-up in general hospital admissions.

Eur Arch Psychiatry Clin Neurosci. 2014;264(1): 3-28

Schumann G, Binder EB, Holte A, de Kloet ER, Oedegaard KJ, Robbins TW, Walker-Tilley TR, Bitter I, Brown VJ, Buitelaar J, Ciccocioppo R, Cools R, Escera C, Fleischhacker W, Flor H, Frith CD, Heinz A, Johnsen E, Kirschbaum C, Klingberg T, Lesch KP, Lewis S, **Maier W**, Mann K, Martinot JL, Meyer-Lindenberg A, Müller CP, Müller WE, Nutt DJ, Persico A, Perugi G, Pessiglione M, Preuss UW, Roiser JP, Rossini PM, Rybakowski JK, Sandi C, Stephan KE, Undurraga J, Vieta E, van der Wee N, Wykes T, Haro JM, Wittchen HU. Stratified medicine for mental disorders.
Eur Neuropsychopharmacol. 2014;24(1): 5-50

Schwarzbach M, Luppa M, Hansen H, König HH, Gensichen J, Petersen JJ, Schön G, Wiese B, Weyerer S, Bickel H, Fuchs A, **Maier W**, van den Bussche H, Scherer M, Riedel-Heller SG; MultiCare study group. A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients - results of the MultiCare study.
J Affect Disord. 2014;168: 276-83

Seifert K. The effect of photo-therapy in the treatment of depression in an inpatient setting: Research findings from a study conducted at the clinic for Psychiatry and Psychotherapy at the Universiy Hospital Bonn.
Art Therapy OnLine. 2014;5(1)

Sikorski C, Luppa M, **Heser K**, Ernst A, Lange C, Werle J, Bickel H, Mösch E, Wiese B, Prokein J, Fuchs A, Pentzek M, König HH, Brettschneider C, Scherer M, **Maier W**, Weyerer S, Riedel-Heller SG; **AgeCoDe Study Group.** The role of spousal loss in the development of depressive symptoms in the elderly - implications for diagnostic systems.
J Affect Disord. 2014;161: 97-103

Sikorski C, Luppa M, Weyerer S, König HH, **Maier W**, Schön G, Petersen JJ, Gensichen J, Fuchs A, Bickel H, Wiese B, Hansen H, van den Bussche H, Scherer M, Riedel-Heller SG. Obesity and associated lifestyle in a large sample of multi-morbid German primary care attendees.
PLoS One. 2014;9(7): e102587

Soehle M, **Kayser S**, Ellermann RK, **Schläpfer TE.** Bilateral bispectral index monitoring during and after electroconvulsive therapy compared with magnetic seizure therapy for treatment-resistant depression.
Br J Anaesth. 2014;112(4): 695-702

Striepens N, Matusch A, Kendrick KM, **Mihov Y**, Elmenhorst D, **Becker B**, Lang M, Coenen HH, **Maier W**, Hurlemann R, Bauer A. Oxytocin enhances attractiveness of unfamiliar female faces independent of the dopamine reward system.
Psychoneuroendocrinology. 2014;39: 74-87

Tansey KE, Rucker JJ, Kavanagh DH, Guipponi M, Perroud N, Bondolfi G, Domenici E, Evans DM, Hauser J, Henigsberg N, Jerman B, **Maier W**, Mors O, O'Donovan M, Peters TJ, Placentino A, Rietschel M, Souery D, Aitchison KJ, Craig I, Farmer A, Wendland JR, Malafosse A, Lewis G, Kapur S, McGuffin P, Uher R. Copy number variants and therapeutic response to antidepressant medication in major depressive disorder.
Pharmacogenomics J. 2014;14(4): 395-9

Thelen M, Razquin C, Hernández I, Gorostidi A, Sánchez-Valle R, Ortega-Cubero S, **Wolfsgruber S**, Drichel D, **Fliessbach K**, Duenkel T, Damian M, Heilmann S, **Slotosch A**, **Lennarz M**, Seijo-Martínez M, Rene R, Kornhuber J, Peters O, Luckhaus C, Jahn H, Hüll M, Rüther E, Wilfang J, Lorenzo E, Gascon J, Lleó A, Lladó A, Campdelacreu J, Moreno F, Ahmadzadehfar H; Dementia Genetics Spanish Consortium (DEGESCO), Fortea J, Indakoetxea B, Heneka MT, Wetter A, Pastor MA, Riverol M, Becker T, Frölich L, Tárraga L, Boada M, **Wagner M**, **Jessen F**, **Maier W**, Clarimón J, López de Munain A, Ruiz A, Pastor P, **Ramirez A**. Investigation of the role of rare TREM2 variants in frontotemporal dementia subtypes.
Neurobiol Aging. 2014;35(11): 2657.e13-9

Uher R, Tansey KE, Dew T, **Maier W**, Mors O, Hauser J, Dernovsek MZ, Henigsberg N, Souery D, Farmer A, McGuffin P. An Inflammatory Biomarker as a Differential Predictor of Outcome of

Depression Treatment With Escitalopram and Nortriptyline.
Am J Psychiatry. 2014;171(12): 1278-86

van der Zee J, Van Langenhove T, Kovacs GG, Dillen L, Deschamps W, Engelborghs S, Matej R, Vandenbulcke M, Sieben A, Dermaut B, Smets K, Van Damme P, Merlin C, Laureys A, Van Den Broeck M, Mattheijssens M, Peeters K, Benussi L, Binetti G, Ghidoni R, Borroni B, Padovani A, Archetti S, Pastor P, Razquin C, Ortega-Cubero S, Hernández I, Boada M, Ruiz A, de Mendonça A, Miltenberger-Miltényi G, do Couto FS, Sorbi S, Nacmias B, Bagnoli S, Graff C, Chiang HH, Thonberg H, Perneczky R, Diehl-Schmid J, Alexopoulos P, Frisoni GB, Bonvicini C, Synofzik M, Maetzler W, vom Hagen JM, Schöls L, Haack TB, Strom TM, Prokisch H, Dols-Icardo O, Clarimón J, Lleó A, Santana I, Almeida MR, Santiago B, Heneka MT, **Jessen F, Ramirez A**, Sanchez-Valle R, Llado A, Gelpi E, Sarafav S, Tournev I, Jordanova A, Parobkova E, Fabrizi GM, Testi S, Salmon E, Ströbel T, Santens P, Robberecht W, De Jonghe P, Martin JJ, Cras P, Vandenberghe R, De Deyn PP, Cruts M, Sleegers K, Van Broeckhoven C. Rare mutations in SQSTM1 modify susceptibility to frontotemporal lobar degeneration.

Acta Neuropathol (Berl). 2014;128(3): 397-410

Wang S, Xu J, Jiang M, Zhao Q, **Hurlemann R**, Adolphs R. Autism spectrum disorder, but not amygdala lesions, impairs social attention in visual search.
Neuropsychologia. 2014;63: 259-74

Welper H, Aller A, Guttenthaler V, Höfels S, Lennertz L, Pfeiffer U, Schwab SG, Zobel A.
Serotonintransporter und Stressreagibilität bei unipolarer Depression. Rolle des HPA-Systems als Endophänotyp des Gens SLC6A4.
Nervenarzt. 2014;85(3): 336-43

Wicke FS, Güthlin C, Mergenthal K, Gensichen J, Löffler C, Bickel H, **Maier W**, Riedel-Heller SG, Weyerer S, Wiese B, König HH, Schön G, Hansen H, van den Bussche H, Scherer M, Dahlhaus A. Depressive mood mediates the influence of social support on health-related quality of life in elderly, multimorbid patients.
BMC Fam Pract. 2014;15: 62

Wolfsgruber S, Jessen F, Wiese B, Stein J, Bickel H, Mösch E, Weyerer S, Werle J, Pentzek M, Fuchs A, Köhler M, Bachmann C, Riedel-Heller SG, Scherer M, **Maier W, Wagner M**; AgeCoDe study group. The CERAD neuropsychological assessment battery total score detects and predicts alzheimer disease dementia with high diagnostic accuracy.
Am J Geriatr Psychiatry. 2014;22(10): 1017-28

Wolfsgruber S, Wagner M, Schmidtke K, Frölich L, Kurz A, Schulz S, Hampel H, Heuser I, Peters O, Reischies FM, Jahn H, Luckhaus C, Hüll M, Gertz HJ, Schröder J, Pantel J, Rienhoff O, Rüther E, Henn F, Wilfang J, **Maier W**, Kornhuber J, **Jessen F**. Memory concerns, memory performance and risk of dementia in patients with mild cognitive impairment.
PLoS One. 2014;9(7): e100812

Zink M, Schirmbeck F, Rausch F, Eifler S, Elkin H, Solojenkina X, Englisch S, **Wagner M, Maier W**, Lautenschlager M, Heinz A, Gudlowski Y, Janssen B, Gaebel W, Michel TM, Schneider F, Lambert M, Naber D, Juckel G, Krueger-Oezgurdal S, Wobrock T, Hasan A, Riedel M, Müller H, Klosterkötter J, Bechdolf A. Obsessive-compulsive symptoms in at-risk mental states for psychosis: associations with clinical impairment and cognitive function.
Acta Psychiatr Scand. 2014;130(3): 214-26